

Clinical trials of 18 months dual antiplatelet

TrialResults-center www.trialresultscenter.org

1 stent

Trial	Treatments	Patients	Trials design and methods
18 months dual antiplatelet vs 12 months dual antiplatelet			
ARTIC (extended dual antiplatelet) <i>ongoing</i> [NCT00827411] n=NA follow-up:	Pursuit of a dual oral antiplatelet therapy (aspirin and clopidogrel) beyond one year versus Interruption of clopidogrel therapy after one year	-	

More details and results :

- antithrombotics for stent in all type of patients at <http://www.trialresultscenter.org/go-Q151>
- dual antiplatelet therapy for stent in all type of patients at <http://www.trialresultscenter.org/go-Q578>

References

ARTIC (extended dual antiplatelet), 0:

ongoing trial NCT00827411

2 percutaneous coronary intervention

Trial	Treatments	Patients	Trials design and methods
18 months dual antiplatelet vs 12 months dual antiplatelet			
ARTIC (extended dual antiplatelet) <i>ongoing</i> [NCT00827411] n=NA follow-up:	Pursuit of a dual oral antiplatelet therapy (aspirin and clopidogrel) beyond one year versus Interruption of clopidogrel therapy after one year	-	

More details and results :

- antithrombotics for percutaneous coronary intervention in PCI with stent placement at <http://www.trialresultscenter.org/go-Q152>

- antiplatelets drug for percutaneous coronary intervention in all type of patients at <http://www.trialresultscenter.org/go-Q389>

References

ARTIC (extended dual antiplatelet), 0:
ongoing trial NCT00827411