

Clinical trials of Footpump

TrialResults-center www.trialresultscenter.org

1 DVT prophylaxis

Trial	Treatments	Patients	Trials design and methods
Footpump (monotherapy) vs control			
Scurr , 1981 n=33/33 follow-up:	Plantar flexion and dorsiflexion of the feet while the patient is on the operating table by the use of a mechanical device (the Pedi-Pulsor) versus control	abdominal or thoracic surgery	open
Wilson , 1992 n=28/32	-	Elective knee replacement	open
Footpump vs LMWH			
Stone , 1996 n=NA follow-up:	intermittent pneumatic calf compression versus Enoxaparin	total hip replacement	Parallel groups open
Warwick , 1998 n=143/147 follow-up: 8 days	A-V Impulse System foot pump versus LMWH	primary total hip replacement	Parallel groups open
Blanchard , 1999 n=130 follow-up: 12 days	continuous intermittent pneumatic compression of the foot by means of the arteriovenous impulse system versus one daily subcutaneous injection of nadroparin calcium (dosage adapted to body-weight)	patients undergoing total knee arthroplasty	Parallel groups open (blinded assessment)
Footpump (adjunctive therapy) vs UFH then aspirin			
Stannard (vs UFH+asp) , 1996 n=25/25 follow-up:	intermittent pulsatile pneumatic-pump compression of the plantar venous plexus versus UFH followed by aspirin	patients undergoing elective total hip replacement arthroplasty	Parallel groups open

More details and results :

- mechanical devices for thromboprophylaxis for DVT prophylaxis in all type of patients at <http://www.trialresultscenter.org/go-Q402>

References

Scurr, 1981:

Scurr JH, Robbe IJ, Ellis H, Goldsmith HS Simple mechanical method for decreasing the incidence of thromboembolism. *Am J Surg* 1981;141:582-5 [[7223954](#)]

Wilson, 1992:

Wilson NV, Das SK, Kakkar VV, Maurice HD, Smibert JG, Thomas EM, Nixon JE Thrombo-embolic prophylaxis in total knee replacement. Evaluation of the A-V Impulse System. *J Bone Joint Surg Br* 1992 Jan;74:50-2 [[1732265](#)]

Stone, 1996:

Stone MH, Limb D, Campbell P, Stead D, Culleton G A comparison of intermittent calf compression and enoxaparin for thromboprophylaxis in total hip replacement. A pilot study. *Int Orthop* 1996;20:367-9 [[9049766](#)]

Warwick, 1998:

Warwick D, Harrison J, Glew D, Mitchelmore A, Peters TJ, Donovan J Comparison of the use of a foot pump with the use of low-molecular-weight heparin for the prevention of deep-vein thrombosis after total hip replacement. A prospective, randomized trial. *J Bone Joint Surg Am* 1998 Aug;80:1158-66 [[9730125](#)]

Blanchard, 1999:

Blanchard J, Meuwly JY, Leyvraz PF, Miron MJ, Bounameaux H, Hoffmeyer P, Didier D, Schneider PA Prevention of deep-vein thrombosis after total knee replacement. Randomised comparison between a low-molecular-weight heparin (nadroparin) and mechanical prophylaxis with a foot-pump system. *J Bone Joint Surg Br* 1999;81:654-9 [[10463739](#)]

Stannard (vs UFH+asp), 1996:

Stannard JP, Harris RM, Bucknell AL, Cossi A, Ward J, Arrington ED Prophylaxis of deep venous thrombosis after total hip arthroplasty by using intermittent compression of the plantar venous plexus. *Am J Orthop (Belle Mead NJ)* 1996;25:127-34 [[8640382](#)]