

Clinical trials of Pimobendan

TrialResults-center www.trialresultscenter.org

1 heart failure

Trial	Treatments	Patients	Trials design and methods
Pimobendan vs placebo			
Bergler-Klein , 1992 n=12/12 follow-up: 6 months	Pimobendan 10mg/day versus placebo	NYHA II, III	Parallel groups double blind
PMRG , 1992 n=149/49 follow-up: 3 months	Pimobendan 2.5, 5, 10 mg/d versus placebo	NYHA III,IV	Parallel groups double blind
EPOCH , 2002 n=147/151 follow-up: 12 months	Pimobendan 2.5 to 5mg/d versus placebo	NYHA II,III	Parallel groups double blind
PICO , 1996 n=219/112 follow-up: 6 months	Pimobendan 2.5, 5 mg/d versus placebo	NYHA II, III	Parallel groups double blind

More details and results :

- phosphodiesterase III inhibitors for heart failure in all type of patients at <http://www.trialresultscenter.org/go-Q117>

References

Bergler-Klein, 1992:

Bergler-Klein J, Globits S, Stefenelli T, Mayr H, Porenta G, Sochor H, Glogar D [Pimobendan (UDCG 115 BS) in long-term therapy of chronic heart failure] Z Kardiol 1992 Oct;81:546-52 [[1441695](#)]

PMRG, 1992:

Kubo SH, Gollub S, Bourge R, Rahko P, Cobb F, Jessup M, Brozena S, Brodsky M, Kirlin P, Shanes J Beneficial effects of pimobendan on exercise tolerance and quality of life in patients with heart failure. Results of a multicenter trial. The Pimobendan Multicenter Research Group. Circulation 1992 Mar;85:942-9 [[1537130](#)]

Rector TS, Cohn JN Assessment of patient outcome with the Minnesota Living with Heart Failure questionnaire: reliability and validity during a randomized, double-blind, placebo-controlled trial of pimobendan. Pimobendan Multicenter Research Group. Am Heart J 1992 Oct;124:1017-25 [[1529875](#)]

EPOCH, 2002:

Effects of pimobendan on adverse cardiac events and physical activities in patients with mild to moderate chronic heart failure: the effects of pimobendan on chronic heart failure study (EPOCH study). Circ J 2002 Feb;66:149-57 [[11999639](#)]

PICO, 1996:

Lubsen J, Just H, Hjalmarsson AC, La Framboise D, Remme WJ, Heinrich-Nols J, Dumont JM, Seed P Effect of pimobendan on exercise capacity in patients with heart failure: main results from the Pimobendan in Congestive Heart Failure (PICO) trial. Heart 1996 Sep;76:223-31 [[8868980](#)]