

Clinical trials of Topiramate

TrialResults-center www.trialresultscenter.org

1 obesity and overweight

Trial	Treatments	Patients	Trials design and methods
Topiramate vs placebo			
Bray , 2003 n=75/75 follow-up:	-	-	
Caterson , 2003 n=93/97 follow-up:	-	-	
Pudhomme , 2003 n=33/33 follow-up:	-	-	
Rissanen , 2003 n=123/103 follow-up:	-	-	
Stenlof , 2003 n=135/137 follow-up:	-	-	
Tonstad , 2003 n=178/177 follow-up:	-	-	

More details and results :

- All mechanism for obesity and overweight in all type of patients at <http://www.trialresultscenter.org/go-Q265>

References

Bray, 2003:

Bray GA, Hollander P, Klein S, Kushner R, Levy B, Fitchet M, Perry BH A 6-month randomized, placebo-controlled, dose-ranging trial of topiramate for weight loss in obesity. *Obes Res* 2003 Jun;11:722-33 [12805393]

Caterson, 2003:

Caterson I, Astrup A, Zelissen P, Guy-Grand B, Carruba M, Levy B, et al. The long-term effect of topiramate on body weight maintenance after low-calorie diet-induced weight loss in obese subjects [Abstract]. Presented at the 18th International Diabetes Federation Congress, Paris, France, 2429 August 2003.

Pudhomme, 2003:

Rissanen, 2003:

Stenlof, 2003:

Tonstad, 2003:

Entry terms: topiramate, topiramate, Topamax, Epitomax, McN 4853, McN-4853,