

Clinical trials of aspirin + clopidogrel

TrialResults-center www.trialresultscenter.org

1 atrial fibrillation

Trial	Treatments	Patients	Trials design and methods
aspirin + clopidogrel vs anticoagulant			
ACTIVE W , 2006 [NCT00243178] n=3335/3371 follow-up: 1.28 y (median)	clopidogrel (75 mg per day) plus aspirin (75/100 mg per day) versus oral anticoagulation therapy (target international normalised ratio of 2.0-3.0)	Patients with atrial fibrillation plus one or more risk factor for stroke	Parallel groups open
aspirin + clopidogrel vs aspirin			
ACTIVE A , 2009 [NCT00249873] n=3772/3782 follow-up: 3.7 y	clopidogrel 75 mg daily + aspirin 75-100 mg daily versus aspirin 75-100 mg daily alone	Patients with AF and at least one risk factor for stroke and who are not candidates for warfarin therapy	Parallel groups double blind

More details and results :

- antithrombotics for atrial fibrillation in primary prevention of thromboembolic events at <http://www.trialresultscenter.org/go-Q57>

References

ACTIVE W, 2006:

Connolly S, Pogue J, Hart R, Pfeffer M, Hohnloser S, Chrolavicius S, Pfeffer M, Hohnloser S, Yusuf S Clopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the Atrial fibrillation Clopidogrel Trial with Irbesartan for prevention of Vascular Events (ACTIVE W): a randomised controlled trial. Lancet 2006 Jun 10;367:1903-12 [16765759]

ACTIVE A, 2009:

Effect of Clopidogrel Added to Aspirin in Patients with Atrial Fibrillation. N Engl J Med 2009 Apr 30; [19336502]

Entry terms: clopidogrel, Plavix, Iscover