

Clinical trials of aspirin + clopidogrel

TrialResults-center www.trialresultscenter.org

1 atrial fibrillation

| Trial | Treatments | Patients | Trials design and methods |
|--|---|--|---------------------------------|
| aspirin + clopidogrel vs anticoagulant | | | |
| ACTIVE W , 2006 [NCT00243178] n=3335/3371 follow-up: 1.28 y (median) | clopidogrel (75 mg per day) plus aspirin (75/100 mg per day) versus oral anticoagulation therapy (target international normalised ratio of 2.0-3.0) | Patients with atrial fibrillation plus one or more risk factor for stroke | Parallel groups open |
| aspirin + clopidogrel vs aspirin | | | |
| ACTIVE A , 2009 [NCT00249873] n=3772/3782 follow-up: 3.7 y | clopidogrel 75 mg daily + aspirin 75-100 mg daily versus aspirin 75-100 mg daily alone | Patients with AF and at least one risk factor for stroke and who are not candidates for warfarin therapy | Parallel groups double blind |

More details and results :

- antithrombotics for atrial fibrillation in primary prevention of thromboembolic events at <http://www.trialresultscenter.org/go-Q57>

References

ACTIVE W, 2006:

Connolly S, Pogue J, Hart R, Pfeffer M, Hohnloser S, Chrolavicius S, Pfeffer M, Hohnloser S, Yusuf S Clopidogrel plus aspirin versus oral anticoagulation for atrial fibrillation in the Atrial fibrillation Clopidogrel Trial with Irbesartan for prevention of Vascular Events (ACTIVE W): a randomised controlled trial. Lancet 2006 Jun 10;367:1903-12 [[16765759](#)]

ACTIVE A, 2009:

Effect of Clopidogrel Added to Aspirin in Patients with Atrial Fibrillation. N Engl J Med 2009 Apr 30; [[19336502](#)]

Entry terms: clopidogrel, Plavix, Iscover