

# Clinical trials of biolimus eluting stent

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 stable angina

Trial	Treatments	Patients	Trials design and methods
<b>biolimus eluting stent vs sirolimus eluting stent</b>			
<a href="#">LEADERS, 2008</a> [NCT00389220] n=857/850 follow-up: 9 months	BioMatrix III (biolimus-eluting stent with biodegradable polymer) versus Cypher SELECT (sirolimus-eluting stent with durable polymer)	patients aged 18 years or older with chronic stable coronary artery disease or acute coronary syndromes	Parallel groups open assessor-blind Europe

More details and results :

- myocardial revascularization for stable angina in all type of patient at <http://www.trialresultscenter.org/go-Q25>

## References

### LEADERS, 2008:

Windecker S, Serruys PW, Wandel S, Buszman P, Trznadel S, Linke A, Lenk K, Ischinger T, Klauss V, Eberli F, Corti R, Wijns W, Morice MC, di Mario C, Davies S, van Geuns RJ, Eerdmans P, van Es GA, Meier B, Jni P Biolimus-eluting stent with biodegradable polymer versus sirolimus-eluting stent with durable polymer for coronary revascularisation (LEADERS): a randomised non-inferiority trial. Lancet 2008 Aug 31;: [18765162]

Stefanini GG, Kalesan B, Serruys PW, Heg D, Buszman P, Linke A, Ischinger T, Klauss V, Eberli F, Wijns W, Morice MC, Di Mario C, Corti R, Antoni D, Sohn HY, Eerdmans P, van Es GA, Meier B, Windecker S, Jni P Long-term clinical outcomes of biodegradable polymer biolimus-eluting stents versus durable polymer sirolimus-eluting stents in patients with coronary artery disease (LEADERS): 4 year follow-up of a randomised non-inferiority trial. Lancet 2011 Dec 3;378:1940-8 [22075451] [10.1016/S0140-6736\(11\)61672-3](https://doi.org/10.1016/S0140-6736(11)61672-3)

## 2 coronary artery disease

Trial	Treatments	Patients	Trials design and methods
<b>biolimus eluting stent vs sirolimus eluting stent</b>			

continued...

Trial	Treatments	Patients	Trials design and methods
LEADERS , 2008 [NCT00389220] n=857/850 follow-up: 9 months	BioMatrix III (biolimus-eluting stent with biodegradable polymer) versus Cypher SELECT (sirolimus-eluting stent with durable polymer)	patients aged 18 years or older with chronic stable coronary artery disease or acute coronary syndromes	Parallel groups open assessor-blind Europe

More details and results :

- myocardial revascularization for coronary artery disease in all type of patient at <http://www.trialresultscenter.org/go-Q26>
- Drug eluting stent for coronary artery disease in all type of patients at <http://www.trialresultscenter.org/go-Q206>
- Drug eluting stent for coronary artery disease in unparticular patients at <http://www.trialresultscenter.org/go-Q215>

## References

### LEADERS, 2008:

Windecker S, Serruys PW, Wandel S, Buszman P, Trznadel S, Linke A, Lenk K, Ischinger T, Klauss V, Eberli F, Corti R, Wijns W, Morice MC, di Mario C, Davies S, van Geuns RJ, Eerdmans P, van Es GA, Meier B, Jni P Biolimus-eluting stent with biodegradable polymer versus sirolimus-eluting stent with durable polymer for coronary revascularisation (LEADERS): a randomised non-inferiority trial. Lancet 2008 Aug 31;: [18765162]

Stefanini GG, Kalesan B, Serruys PW, Heg D, Buszman P, Linke A, Ischinger T, Klauss V, Eberli F, Wijns W, Morice MC, Di Mario C, Corti R, Antoni D, Sohn HY, Eerdmans P, van Es GA, Meier B, Windecker S, Jni P Long-term clinical outcomes of biodegradable polymer biolimus-eluting stents versus durable polymer sirolimus-eluting stents in patients with coronary artery disease (LEADERS): 4 year follow-up of a randomised non-inferiority trial. Lancet 2011 Dec 3;378:1940-8 [22075451] [10.1016/S0140-6736\(11\)61672-3](https://doi.org/10.1016/S0140-6736(11)61672-3)