

Clinical trials of dapagliflozin + merformin

TrialResults-center www.trialresultscenter.org

1 diabetes type 2

Trial	Treatments	Patients	Trials design and methods
dapagliflozin + merformin vs dapagliflozin			
Kohan [NCT00643851] n=NA follow-up:	Dapagliflozin in Combination With Metformin versus Dapagliflozin Monotherapy	Subjects With Type 2 Diabetes Who Have Inadequate Glycemic Control	
dapagliflozin + merformin vs metformin or dapa			
MB102034 , 2016 [NCT00859898] n=NA follow-up:	Dapagliflozin 10 mg in Combination With Metformin versus Dapagliflozin 10 mg Monotherapy or Metformin Monotherapy	Subjects With Type 2 Diabetes Who Have Inadequate Glycemic Control	

More details and results :

- SGLT2 inhibitors for diabetes type 2 in all type of patients at <http://www.trialresultscenter.org/go-Q479>

References

Kohan, 0:

Kohan DE, Fioretto P, Johnsson K, Parikh S, Ptaszynska A, Ying L The effect of dapagliflozin on renal function in patients with type 2 diabetes. J Nephrol 2016;: [26894924]

MB102034, 2016:

Kohan DE, Fioretto P, Johnsson K, Parikh S, Ptaszynska A, Ying L The effect of dapagliflozin on renal function in patients with type 2 diabetes. J Nephrol 2016;: [26894924]

Entry terms: dapagliflozin, dapagliflozin, forxiga, BMS 512148, BMS512148, BMS-512148,