

# Clinical trials of extended dalteparin

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 venous thrombosis

Trial	Treatments	Patients	Trials design and methods
<b>extended dalteparin vs standard treatment</b>			
<a href="#">CLOT (Lee) , 2003</a> n=NA follow-up: 6 months	Dalteparin 200 IU/kg daily for 1 month followed by 150 IU/kg daily for 5 months versus Dalteparin 200 IU/kg daily for 5-7 days followed by wafarin or acecumarol (target INR 2-3) for 6 months	patients with active cancer and with DVT or pulmonary embolism or both, and ECOG 1 or 2	Parallel groups outcome assessment blinded

More details and results :

- antithrombotics for venous thrombosis in patients with cancer at <http://www.trialresultscenter.org/go-Q103>

## References

### **CLOT (Lee), 2003:**

Lee AY, Levine MN, Baker RI, Bowden C, Kakkar AK, Prins M, Rickles FR, Julian JA, Haley S, Kovacs MJ, Gent M Low-molecular-weight heparin versus a coumarin for the prevention of recurrent venous thromboembolism in patients with cancer. N Engl J Med 2003;349:146-53 [[12853587](#)]

Entry terms: dalteparin