

# Clinical trials of extended-duration thromboprophylaxis

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 thrombosis prevention

Trial	Treatments	Patients	Trials design and methods
<b>extended-duration thromboprophylaxis vs standard-duration thromboprophylaxis</b>			
<a href="#">Marlovits , 2007</a> n=87/88 follow-up: <=28 days	extended-duration thromboprophylaxis with enoxaparin for 20 days versus standard thromboprophylaxis with enoxaparin (3 to 8 days)	patients who had undergone arthroscopic surgery of the anterior cruciate ligament	Parallel groups double-blind Austria

More details and results :

- antithrombotics for thrombosis prevention in arthroscopy at <http://www.trialresultscenter.org/go-Q150>

## References

### Marlovits, 2007:

Marlovits S, Striessnig G, Schuster R, Stocker R, Luxl M, Trattnig S, Vcsei V Extended-duration thromboprophylaxis with enoxaparin after arthroscopic surgery of the anterior cruciate ligament: a prospective, randomized, placebo-controlled study. *Arthroscopy* 2007;23:696-702 [[17637403](#)] [10.1016/j.arthro.2007.02.001](https://doi.org/10.1016/j.arthro.2007.02.001)