

Clinical trials of furosemide

TrialResults-center www.trialresultscenter.org

1 heart failure

Trial	Treatments	Patients	Trials design and methods
furosemide vs placebo			
Mathur , 1984 n=5/5 follow-up:	furosemide hydrochlorotiazide versus placebo	patient with pulmonary heart disease due to severe chronic airflow obstruction and clinical features of congestive heart failure during respiratory failure	Cross over double blind
furosemide vs captopril			
Boccanelli , 1986 n=8/7 follow-up: 13 weeks	furosemide 25 to 100 mg od versus captopril 12.5 to 50 mg bid +furosemide 25mg od	patients with moderate congestive heart failure not completely controlled on digoxin (0.25 mg o.d.) and frusemide (25 mg o.d.),	Parallel groups double blind
Cowley , 1986 n=10/10 follow-up:	furosemide (increased doses of frusemide) versus captopril (addition)	patients with moderate heart failure who still had symptoms despite 40 mg frusemide daily	Cross over double blind
furosemide + spironolactone vs prenalterol			
Dalhstrom , 1986 n=10/10 follow-up: 12 weeks	intensified treatment with diuretics (furosemide- spironolactone) versus prenalterol 100-200 mg daily in addition to their basal treatment	patients with severe chronic congestive heart failure (CHF) due to ischaemic heart disease treated with digitalis and diuretics	Cross over double blind
spironolactone+furosemide vs spironolactone+butizide			
Mauersberger , 1985 n=22 follow-up:	spironolactone 50mg + furosemide 20 mg versus spironolactone 50mg + butizide 5mg	patients with congestive heart failure	open

More details and results :

- diuretics for heart failure in all type of patients at <http://www.trialresultscenter.org/go-Q75>
- aldosterone blockade for heart failure in all type of patients at <http://www.trialresultscenter.org/go-Q488>

References

Mathur, 1984:

Mathur PN, Pugsley SO, Powles AC, McEwan MP, Campbell EJ Effect of diuretics on cardiopulmonary performance in severe chronic airflow obstruction. A controlled clinical trial. Arch Intern Med 1984;144:2154-7 [6388521]

Boccanelli, 1986:

Boccanelli A, Zachara E, Liberatore SM, Carboni GP, Prati PL Addition of captopril versus increasing diuretics in moderate but deteriorating heart failure: a double-blind comparative trial. Postgrad Med J 1986;62 Suppl 1:184-7 [3534859]

Cowley, 1986:

Cowley AJ, Stainer K, Wynne RD, Rowley JM, Hampton JR Symptomatic assessment of patients with heart failure: double-blind comparison of increasing doses of diuretics and captopril in moderate heart failure. Lancet 1986;2:770-2 [2876233]

Dalhstrom, 1986:

Jorde R, Pettersen JE, Burhol PG Lack of effect of exogenous or endogenous gastric inhibitory polypeptide on the elimination rate of Intralipid in man. Acta Med Scand 1984;216:19-23 [6485877]

Dahlstrm U, Areskog M, Wranne B, Karlsson E Prenalterol as long-term therapy for chronic congestive heart failure. A randomized cross-over trial. Acta Med Scand 1984;216:199-207 [6149671]

Mauersberger, 1985:

Mauersberger H, Rangoonwala B, Ehrlich E, [Comparative study of 2 diuretic-containing combination preparations in patients with edematous heart failure] Wien Med Wochenschr 1985;135:205-13. [4013351]

Entry terms: spironolactone, Veroshpiron, Verospirone, Spiractin, Spirobeta, Spirogamma, Spirolang, Spirono-Isis, Spirono Isis, Spironone, Spirospare, Verospiron, Aldactone, Aldactone A, Aquareduct, duraspiron, Espironolactona Alter, Espironolactona Mundogen, Flumach, Frumikal, Jenaspiron, Novo-Spiroton, Novo Spiroton, NovoSpiroton, Practon, Spiro L.U.T., spiro von ct, , Furosemide, Frusemide, Fursemide, Frusemid, Furanthril, Furantral, Salix (brand of furosemide), Furosemide Monosodium Salt, Fusid, Lasix, Errolon, Furosemide Monohydrochloride,