

Clinical trials of iridium-92

TrialResults-center www.trialresultscenter.org

1 restenosis after PCI

Trial	Treatments	Patients	Trials design and methods
iridium-92 vs placebo			
SCRIPPS , 1997 n=26/29 follow-up: 6 mo	catheter-based irradiation with iridium-192 versus placebo	patients with restenosis	Parallel groups double blind US
WRIST , 2001 n=65/65 follow-up: 6 mo	intracoronary gamma-radiation with (192)Ir 15 Gy versus placebo	presented with symptoms of angina and angiographic evidence of in-stent restenosis	Parallel groups double blind
GAMMA-ONE , 2001 n=131/121 follow-up: 9 mo	intracoronary radiotherapy with iridium-192 versus placebo	patients with in-stent restenosis	Parallel groups double blind US
SVG-WRIST , 2002 n=60/60 follow-up: 12 mo	intravascular treatment with a ribbon containing iridium-192 versus placebo	patients with in-stent restenosis in saphenous-vein grafts	Parallel groups double blind US
Long-WRIST , 2003 n=60/60 follow-up: 1 y	gamma radiation with 192Ir versus placebo	patients with diffuse long in-stent restenosis in native coronary arteries (lesion length, 36 to 80 mm)	Parallel groups double blind US

More details and results :

- Intravascular Brachytherapy for restenosis after PCI in all type of patients at <http://www.trialresultscenter.org/go-Q288>

References

SCRIPPS, 1997:

Teirstein PS, Massullo V, Jani S, Popma JJ, Mintz GS, Russo RJ, Schatz RA, Guarneri EM, Steuterman S, Morris NB, Leon MB, Tripuraneni P Catheter-based radiotherapy to inhibit restenosis after coronary stenting. N Engl J Med 1997;336:1697-703 [9180087]

Teirstein PS, Massullo V, Jani S, Popma JJ, Russo RJ, Schatz RA, Guarneri EM, Steuterman S, Sirkin K, Cloutier DA, Leon MB, Tripuraneni P Three-year clinical and angiographic follow-up after intracoronary radiation : results of a randomized clinical trial. Circulation 2000;101:360-5 [10653825]

Grise MA, Massullo V, Jani S, Popma JJ, Russo RJ, Schatz RA, Guarneri EM, Steuterman S, Cloutier DA, Leon MB, Tripuraneni P, Teirstein PS Five-year clinical follow-up after intracoronary radiation: results of a randomized clinical trial. *Circulation* 2002;105:2737-40 [[12057987](#)]

WRIST, 2001:

Waksman R, White RL, Chan RC, Bass BG, Geirlach L, Mintz GS, Satler LF, Mehran R, Serruys PW, Lansky AJ, Fitzgerald P, Bhargava B, Kent KM, Pichard AD, Leon MB Intracoronary gamma-radiation therapy after angioplasty inhibits recurrence in patients with in-stent restenosis. *Circulation* 2000;101:2165-71 [[10801757](#)]

Ajani AE, Waksman R, Sharma AK, Cha DH, Cheneau E, White RL, Canos D, Pichard AD, Satler LF, Kent KM, Pinnow E, Lindsay J Three-year follow-up after intracoronary gamma radiation therapy for in-stent restenosis. Original WRIST. Washington Radiation for In-Stent Restenosis Trial. *Cardiovasc Radiat Med* 2001;2:200-4 [[12160759](#)]

Waksman R, Ajani AE, White RL, Chan R, Bass B, Pichard AD, Satler LF, Kent KM, Torguson R, Deible R, Pinnow E, Lindsay J Five-year follow-up after intracoronary gamma radiation therapy for in-stent restenosis. *Circulation* 2004;109:340-4 [[14732756](#)]

GAMMA-ONE, 2001:

Leon MB, Teirstein PS, Moses JW, Tripuraneni P, Lansky AJ, Jani S, Wong SC, Fish D, Ellis S, Holmes DR, Kerieakes D, Kuntz RE Localized intracoronary gamma-radiation therapy to inhibit the recurrence of restenosis after stenting. *N Engl J Med* 2001;344:250-6 [[11172151](#)]

SVG-WRIST, 2002:

Waksman R, Ajani AE, White RL, Chan RC, Satler LF, Kent KM, Pichard AD, Pinnow EE, Bui AB, Ramee S, Teirstein P, Lindsay J Intravascular gamma radiation for in-stent restenosis in saphenous-vein bypass grafts. *N Engl J Med* 2002;346:1194-9 [[11961147](#)]

Rha SW, Kuchulakanti P, Ajani AE, Cheneau E, Pinnow EE, Canos DA, Torguson R, Pichard AD, Satler LF, Kent KM, Ramee S, Teirstein P, Lindsay J, Waksman R Three-year follow-up after intravascular gamma-radiation for in-stent restenosis in saphenous vein grafts. *Catheter Cardiovasc Interv* 2005;65:257-62 [[15864805](#)]

Long-WRIST, 2003:

Waksman R, Cheneau E, Ajani AE, White RL, Pinnow E, Torguson R, Deible R, Satler LF, Pichard AD, Kent KM, Teirstein PS, Lindsay J Intracoronary radiation therapy improves the clinical and angiographic outcomes of diffuse in-stent restenotic lesions: results of the Washington Radiation for In-Stent Restenosis Trial for Long Lesions (Long WRIST) Studies. *Circulation* 2003;107:1744-9 [[12665490](#)]

Cheneau E, Canos D, Pinnow E, Ajani AE, Satler LF, Pichard AD, Kent KM, Lindsay J, Waksman R Impact of radiation dose on late clinical outcome after intracoronary radiation therapy: three-year follow-up of Long WRIST. *Catheter Cardiovasc Interv* 2004;62:318-22 [[15224297](#)]