

# Clinical trials of kissing balloon

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 coronary artery disease

| Trial  | Treatments   | Patients                          | Trials design and methods  |
|--|--|-----------------------------------|--|
| <b>kissing balloon vs no kissing balloon</b>   |  |                                   |  |
| <b>Nordic-Baltic Bifurcation Study III , 2009</b><br>[NCT00914199]<br>n=238/239<br>follow-up: 6 mo | Kissing balloon dilatation post-stenting of the main artery (one-stent technique) versus no kissing balloon dilatation | patients with bifurcation lesions | Parallel groups open<br>Denmark, Finland, Latvia, Sweden, Norway |

More details and results :

- Drug eluting stent for coronary artery disease in bifurcation lesion at <http://www.trialresultscenter.org/go-Q214>

## References

### **Nordic-Baltic Bifurcation Study III, 2009:**

Niemel M, Kervinen K, Erglis A, Holm NR, Maeng M, Christiansen EH, Kumsars I, Jegere S, Dombrovskis A, Gunnes P, Stavnes S, Steigen TK, Trovik T, Eskola M, Vikman S, Romppanen H, Mkikallio T, Hansen KN, Thayssen P, Aberg L, Jensen LO, Hervold A, Airaks Randomized Comparison of Final Kissing Balloon Dilatation Versus No Final Kissing Balloon Dilatation in Patients With Coronary Bifurcation Lesions Treated With Main Vessel Stenting: The Nordic-Baltic Bifurcation Study III. *Circulation* 2011;123:79-86 [[21173348](https://pubmed.ncbi.nlm.nih.gov/21173348/)] [10.1161/CIRCULATIONAHA.110.966879](https://doi.org/10.1161/CIRCULATIONAHA.110.966879)