

Clinical trials of niacin+ezetimibe

TrialResults-center www.trialresultscenter.org

1 cardiovascular prevention

Trial	Treatments	Patients	Trials design and methods
niacin+ezetimibe vs simvastatin+ezetimibe			
Guyton , 2008 n=NA follow-up: 24 weeks	Niacin 2 g ezetimibe 10 mg simvastatin 20 mg versus Ezetimibe 10 mg simvastatin 20 mg	patients with type IIa or IIb hyperlipidemia	Parallel groups double-blind

More details and results :

- niacin for cardiovascular prevention in all type of patients at <http://www.trialresultscenter.org/go-Q326>

References

Guyton, 2008:

Guyton JR, Brown BG, Fazio S, Polis A, Tomassini JE, Terhakovec AM Lipid-altering efficacy and safety of ezetimibe/simvastatin coadministered with extended-release niacin in patients with type IIa or type IIb hyperlipidemia. J Am Coll Cardiol 2008;51:1564-72 [[18420099](#)] [10.1016/j.jacc.2008.03.003](https://doi.org/10.1016/j.jacc.2008.03.003)

Entry terms: niacin, Niacin, Nicotinic Acid, 3-Pyridinecarboxylic Acid, 3 Pyridinecarboxylic Acid, Induracin, Niacin Ammonium Salt, Niacin Calcium Salt, Niacin Cobalt (2+) Salt, Niacin Lithium Salt, Niacin Magnesium Salt, Niacin Manganese (2+) Salt, Niacin Potassium Salt, Niacin Sodium Salt, Niacin Tartrate, Niacin Copper (2+) Salt, Niacin Hydrochloride, Niacin Iron (2+) Salt, Niacin Tosylate, Niacin Zinc Salt, Nicamin, Nico-400, Nico 400, Nico400, Nicobid, Nicocap, Nicolar, Nicotinate, Wampocap, Enduracin, Lithium Nicotinate, Niacin Aluminum Salt,