

# Clinical trials of perindopril and indapamide

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 diabetes type 2

| Trial  | Treatments  | Patients  | Trials design and methods  |
|--|---|---|--|
| <b>perindopril and indapamide vs placebo</b>   |   |   |  |
| <a href="#">ADVANCE , 2007</a><br>[NCT00145925]<br>n=NA<br>follow-up:                | fixed combination of perindopril and indapamide<br>versus<br>placebo          | patients with type 2 diabetes irrespective of initial blood pressure levels or the use of other blood pressure lowering drugs |  |
| <a href="#">ADVANCE , 2007</a><br>[NCT00145925]<br>n=5569/5571<br>follow-up: 4.3 yrs | low-dose fixed combination of perindopril and indapamide<br>versus<br>placebo | individuals with type 2 diabetes  | Factorial plan<br>double-blind<br>Asia, Australasia, Europe, and North America |

More details and results :

- anti hypertensive agents for diabetes type 2 in patients with or without hypertension at <http://www.trialresultscenter.org/go-Q414>
- angiotensin-receptor blockers for diabetes type 2 in all type of patients at <http://www.trialresultscenter.org/go-Q427>
- angiotensin renin system blockade for diabetes type 2 in all type of patients at <http://www.trialresultscenter.org/go-Q438>

## References

### ADVANCE, 2007:

Rationale and design of the ADVANCE study: a randomised trial of blood pressure lowering and intensive glucose control in high-risk individuals with type 2 diabetes mellitus. Action in Diabetes and Vascular Disease: PreterAx and DiamicroN Modified-Release Controlled Evaluation. J Hypertens Suppl 2001 Nov;19:S21-8 [[11848259](#)]

Patel A, MacMahon S, Chalmers J, Neal B, Woodward M, Billot L, Harrap S, Poulter N, Marre M, Cooper M, Glasziou P, Grobbee DE, Hamet P, Heller S, Liu LS, Mancia G, Mogensen CE, Pan CY, Rodgers A, Williams B Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. Lancet 2007 Sep 8;370:829-40 [[17765963](#)]

### ADVANCE, 2007:

Chalmers J, Kengne AP, Joshi R, Perkovic V, Patel A New insights from ADVANCE. J Hypertens Suppl 2007;25:S23-30 [[17579315](#)] [10.1097/01.hjh.0000271506.69949.46](https://doi.org/10.1097/01.hjh.0000271506.69949.46)

Patel A, MacMahon S, Chalmers J, Neal B, Woodward M, Billot L, Harrap S, Poulter N, Marre M, Cooper M, Glasziou P, Grobbee DE, Hamet P, Heller S, Liu LS, Mancia G, Mogensen CE, Pan CY, Rodgers A, Williams B Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. Lancet 2007;370:829-40 [[17765963](#)] [10.1016/S0140-6736\(07\)61303-8](https://doi.org/10.1016/S0140-6736(07)61303-8)