

Clinical trials of phenindione

TrialResults-center www.trialresultscenter.org

1 post stroke

Trial	Treatments	Patients	Trials design and methods
phenindione vs placebo			
Enger , 1965 n=NA follow-up: 22.7 months	phenindione thrombotest 10% to 25% of normal, started in hospital versus placebo	-	Parallel groups single-blind Norway
Thygesen , 1964 n=NA follow-up: 29.5 months	phenindione, prothrombin-proconvertin test 10% to 20% versus placebo	-	Parallel groups single-blind Denmark

More details and results :

- anticoagulant for post stroke in all type of patients at <http://www.trialresultscenter.org/go-Q413>

References

Enger, 1965:

Enger E, Boyesen S Long-term anticoagulant therapy in patients with cerebral infarction: a controlled clinical study. Acta Medica Scandinavica 1965;178 Suppl 438:7-61.

Enger E, Boyesen S Long-term anticoagulant therapy in patients with cerebral infarction: a controlled clinical study. Acta Medica Scandinavica 1965;178 Suppl 438:7-61.

Enger E, Boyesen S Long-term anticoagulant therapy in patients with cerebral infarction: a controlled clinical study. Acta Medica Scandinavica 1965;178 Suppl 438:7-61.

Thygesen, 1964:

THYGESEN P, CHRISTENSEN E, DYRBYE M, EIKEN M, FRANTZEN E, GORMSEN J, LADEMANN A, LENNOX-BUCHTHAL M, RONNOV-JESSEN V, THERKELSEN J CEREBRAL APOPLEXY. A CLINICAL, RADIOLOGICAL, ELECTROENCEPHALOGRAPHIC AND PATHOLOGICAL STUDY WITH SPECIAL REFERENCE TO THE PROGNOSIS OF CEREBRAL INFARCTION AND THE RESULT OF LONG-TERM ANTICOAGULATION THERAPY. Dan Med Bull 1964;11:233-57 [[14250709](#)]

2 thrombosis prevention

Trial	Treatments	Patients	Trials design and methods
Phenindione vs no treatment			
Eskeland , 1966 n=100/100 follow-up: 3 months	Phenindione versus No treatment	HFS	Open
Hamilton , 1970 n=38/38 follow-up: 310 months	Phenindione versus No treatment	HFS	Open

More details and results :

- antithrombotics for thrombosis prevention in orthopedic surgery at <http://www.trialresultscenter.org/go-Q37>
- anticoagulant for thrombosis prevention in orthopedic surgery at <http://www.trialresultscenter.org/go-Q184>

References

Eskeland, 1966:

Eskeland G, Solheim K, Skjrten F Anticoagulant prophylaxis, thromboembolism and mortality in elderly patients with hip fractures. A controlled clinical trial. Acta Chir Scand 1966;131:16-29 [5332064]

Hamilton, 1970:

Hamilton HW, Crawford JS, Gardiner JH, Wiley AM Venous thrombosis in patients with fracture of the upper end of the femur. A phlebographic study of the effect of prophylactic anticoagulation. J Bone Joint Surg Br 1970;52:268-89 [5445407]

Entry terms: Phenindione, Phenylindanedione, Phenyline, Pindione, Fenilin, Dindevan,