

# Clinical trials of suloctidil

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 cardiovascular prevention

Trial	Treatments	Patients	Trials design and methods
<b>suloctidil vs placebo</b>			
<b>Adriaensen , 1976</b> n=15/15 follow-up: 2 months	Suloctidil 200 mg / j versus Placebo	patients suffering from intermittent claudication ( stade II)	Parallel groups double blind
<b>Verhaeghe , 1981</b> n=NA follow-up: 6 months	Suloctidil 200 mg / j versus Placebo	patients with intermittent claudication (stade II)	Parallel groups double blind
<b>Jones , 1982</b> n=18/22 follow-up: 6 months	Suloctidil 300 mg / j versus Placebo	patients suffering from intermittent claudication (stade II)	Parallel groups double blind
<b>Holm , 1984</b> n=20/20 follow-up: 2.75 y	Suloctidil 300 mg / j versus Placebo	AOMI stade II	Parallel groups double blind

More details and results :

- antiplatelets drug for cardiovascular prevention in secondary prevention in patients with intermittent claudication at <http://www.trialresultscenter.org/go-Q275>

## References

### **Adriaensen, 1976:**

Medical treatment of intermittent claudication: a comparative double-blind study of suloctidil, dihydroergotoxine and placebo. Adriaensen H Curr Med Res Opin 1976;4:395-401 [[793778](#)]

### **Verhaeghe, 1981:**

Controlled trial of suloctidil in intermittent claudication. Verhaeghe R, Van Hoof A, Beyens G J Cardiovasc Pharmacol 1981 Mar-Apr;3:279-86 [[6166799](#)]

### **Jones, 1982:**

A double-blind trial of suloctidil v. placebo in intermittent claudication. Jones NA, De Haas H, Zahavi J, Kakkar VV Br J Surg 1982 Jan;69:38-40 [[6274471](#)]

### **Holm, 1984:**

Intermittent claudication: Suloctidil v.s. placebo treatment. Holm J, Lindblad L, Schersten T, Suurkula M Vasa 1984;13:175-8 [[6331019](#)]

## 2 thrombosis prevention

Trial	Treatments	Patients	Trials design and methods
<b>Suloctidil vs placebo</b>			
<a href="#">Turpie , 1985</a> n=68/68	Suloctidil versus Placebo	-	double-blind

More details and results :

- antithrombotics for thrombosis prevention in general surgery at <http://www.trialresultscenter.org/go-Q92>
- antiplatelets drug for thrombosis prevention in general surgery at <http://www.trialresultscenter.org/go-Q461>
- antiplatelets drug for thrombosis prevention in all type of patients at <http://www.trialresultscenter.org/go-Q462>

## References

### Turpie, 1985:

Turpie AG, Gent M, Doyle DJ, Saerens E, de Boer AC, Talbot C, McNamee J, Hirsh J An evaluation of suloctidil in the prevention of deep vein thrombosis in neurosurgical patients. *Thromb Res* 1985;39:173-81 [[2992116](#)]

## 3 peripheral vascular diseases

Trial	Treatments	Patients	Trials design and methods
<b>suloctidil vs placebo</b>			
<a href="#">Adriaensen , 1976</a> n=15/15 follow-up: 2 months	Suloctidil 200 mg / j versus Placebo	patients suffering from intermittent claudication ( stade II)	Parallel groups double blind
<a href="#">Verhaeghe , 1981</a> n=NA follow-up: 6 months	Suloctidil 200 mg / j versus Placebo	patients with intermittent claudication (stade II)	Parallel groups double blind
<a href="#">Jones , 1982</a> n=18/22 follow-up: 6 months	Suloctidil 300 mg / j versus Placebo	patients suffering from intermittent claudication (stade II)	Parallel groups double blind
<a href="#">Holm , 1984</a> n=20/20 follow-up: 2.75 y	Suloctidil 300 mg / j versus Placebo	AOMI stade II	Parallel groups double blind

More details and results :

- antiplatelets drug for peripheral vascular diseases in all type of patient at <http://www.trialresultscenter.org/go-Q278>

## References

### **Adriaensen, 1976:**

Medical treatment of intermittent claudication: a comparative double-blind study of suloctidil, dihydroergotoxine and placebo. Adriaensen H Curr Med Res Opin 1976;4:395-401 [793778]

### **Verhaeghe, 1981:**

Controlled trial of suloctidil in intermittent claudication. Verhaeghe R, Van Hoof A, Beyens G J Cardiovasc Pharmacol 1981 Mar-Apr;3:279-86 [6166799]

### **Jones, 1982:**

A double-blind trial of suloctidil v. placebo in intermittent claudication. Jones NA, De Haas H, Zahavi J, Kakkar VV Br J Surg 1982 Jan;69:38-40 [6274471]

### **Holm, 1984:**

Intermittent claudication: Suloctidil v.s. placebo treatment. Holm J, Lindblad L, Schersten T, Suurkula M Vasa 1984;13:175-8 [6331019]