

# Clinical trials of warfarin standard dose

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 atrial fibrillation

Trial	Treatments	Patients	Trials design and methods
<b>warfarin standard dose vs control</b>			
<b>AFASAK (warfarin standard dose vs control) , 1989</b> n=335/336 follow-up: 2 years	warfarin standard dose(target INR:2.8-4.2) versus control	chronic non rheumatic AF	Parallel groups Open Denmark
<b>SPAF (warfarin standard dose) , 1991</b> n=210/211 follow-up: 1.3 years	warfarin standard dose(target INR:2.0-4.5) versus control	-	Parallel groups Open USA
<b>warfarin standard dose vs placebo</b>			
<b>CAFA , 1991</b> n=187/191 follow-up: 15.2 months	warfarin standard dose (target INR 2-3) versus placebo	non rheumatic atrial fibrillation	Parallel groups Double blind canada

More details and results :

- antithrombotics for atrial fibrillation in primary prevention of thromboembolic events at <http://www.trialresultscenter.org/go-Q57>

## References

### **AFASAK (warfarin standard dose vs control), 1989:**

Petersen P, Boysen G, Godtfredsen J, Andersen ED, Andersen B Placebo-controlled, randomised trial of warfarin and aspirin for prevention of thromboembolic complications in chronic atrial fibrillation. The Copenhagen AFASAK study. Lancet 1989 Jan 28;1:175-9 [2563096]

### **SPAF (warfarin standard dose), 1991:**

Stroke Prevention in Atrial Fibrillation Study. Final results Circulation. 1991 Aug;84(2):527-39. [1860198]

### **CAFA, 1991:**

Connolly SJ, Laupacis A, Gent M, Roberts RS, Cairns JA, Joyner C Canadian Atrial Fibrillation Anticoagulation (CAFA) Study. J Am Coll Cardiol 1991 Aug;18:349-55 [1856403]

Entry terms: warfarin