

# Clinical trials of omega-3 fatty acids for cardiovascular prevention in patients at low risk

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 omega-3 Fatty acids

Trial	Treatments	Patients	Trials design and methods
<b>diet vs control</b>			
Mate-Jimenez , 1991 n=19/19 follow-up: 24months	diet advice versus no advice	people with inactive Crohns disease	Parallel groups open with blind assessment Spain
<b>fish oil vs control</b>			
Katan , 1997 n=44/14 follow-up: 12 months	Fish oil capsules, all took 9 per day (1.1g omega-3 fats low dose, 2.2g medium dose, 3.3g high dose per day) versus 9 olive and palm oil capsules (0g omega-3 fats per day)	healthy monks	Parallel groups NA The Netherland
Malaguarnera , 1999 n=26/26 follow-up: 6 months	EPA + DHA daily (3g/d EPA + DHA) plus IFNa subcutaneously versus IFNa subcutaneously only	chronic hepatitis with ALT =2x normal limit for =12 mo	Parallel groups open Italy
Terano , 1999 n=10/10 follow-up: 12 months	DHA capsules, 6/d (4.3g/d DHA) versus no treatment	dementia of CVD	Parallel groups open with blind assessment japan
<b>Efamol marine vs placebo</b>			
Veale , 1994 n=19/19 follow-up: 9 months	Efamol marine capsules, 12/d (0.4g/d EPA + DHA plus 0.5g/d gamma-linoleic acid (notomega-3))TP versus placebo (capsules containing liquid paraffin and vitamin E, 12/d, appeared identical)	people with chronic stable plaque psoriasis and inflammatory arthritis	Parallel groups double blind UK
<b>fish oil vs placebo</b>			
Almallah , 1998 n=18/18 follow-up: 6 months	fish oil extract, 15 ml/d (5.6g EPA + DHA) versus placebo (sunflower oil, 15 ml/d)	people with distal procto-collitis (ulcerative colitis)	Parallel groups single blind and outcome ass. UK
Dry , 1991 n=6/6 follow-up: 12 months	Liparmony (1g/d EPA + DHA) versus placebo	people with asthma	Parallel groups double blind France

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
<b>Geusens , 1994</b> n=60/30 follow-up: 12 months	high and ow dose fish oil capsules versus placebo (olive oil capsules, 6/d)	people with active rheumatoid arthritis on NSAIDs or DMARDs	Parallel groups double blind Belgium
<b>Loeschke , 1996</b> n=31/33 follow-up: 24 months	fish oil capsules 6x1 g/d (5.1g/d omega-3 fats), with orange flavour versus placebo (maize oil capsules 6x1 g/d with orange flavour)	people with ulcerative colitis, in remission	Parallel groups double-blind Germany
<b>Lorenz-Meyer , 1996</b> n=70/65 follow-up: 12 months	ethyl ester fish oil concentrate capsules 6x1 g daily (5.1g/d EPA + DHA) versus placebo (corn oil capsules 6x1 g daily)	people with Crohns disease in remission	Parallel groups double blind
<b>MaxEPA vs placebo</b>			
<b>Greenfield , 1993</b> n=16/8 follow-up: 6 months	MaxEPA capsules, 12/d for first month, then 6/d (3.7g/d initially, then 1.9g EPA + DHA daily), all with peppermint oil to disguise taste versus placebo (olive oil capsules, 12/d for first month, then 6/d. Looked like MaxEPA and had added peppermint oil)	people with stable ulcerative colitismag	Parallel groups double blind UK
<b>Skoldstam , 1992</b> n=23/23 follow-up: 6 months	MaxEPA fish oil capsules 10/d (3.0g/d EPA + DHA) versus placebo (vegetable oil capsules 10/d)	people with rheumatoid arthritis	Parallel groups double blind Sweden
<b>Thien , 1993</b> n=21/16 follow-up: 6 months	MaxEPA capsules, 18/d (5.4g/d EPA + DHA) versus placebo (olive oil capsules 18/d)	hayfever and asthma	Parallel groups double blind Australia
<b>PurEPA vs placebo</b>			
<b>Belluzzi , 1996</b> n=39/39 follow-up: 12 months	PurEPA 3 enteric coated capsules/d (0.9g EPA + DHA) versus placebo (Mixed TG 3 enteric coated capsules)	established Crohns disease, in remission	Parallel groups double-blind Italy

## References

**Mate-Jimenez, 1991:**

**Katan, 1997:**

Katan MB, Deslypere JP, van Birgelen AP, Penders M, Zegwaard M Kinetics of the incorporation of dietary fatty acids into serum cholesteryl esters, erythrocyte membranes, and adipose tissue: an 18-month controlled study. *J Lipid Res* 1997 Oct;38:2012-22 [[9374124](#)]

Blok WL, Deslypere JP, Demacker PN, van der Ven-Jongekrijg J, Hectors MP, van der Meer JW, Katan MB Pro- and anti-inflammatory cytokines in healthy volunteers fed various doses of fish oil for 1 year. *Eur J Clin Invest* 1997 Dec;27:1003-8 [[9466128](#)]

**Malaguarnera, 1999:**

Malaguarnera M, Restuccia N, Fazio ID, Panebianco MP, Gulizia G, Giugno I Fish oil treatment of interferon-alpha-induced dyslipidaemia: study in patients with chronic hepatitis C. *BioDrugs* 1999;11:285-91 [[18031138](#)]

**Terano, 1999:**

Terano T, Fujishiro S, Ban T, Yamamoto K, Tanaka T, Noguchi Y, Tamura Y, Yazawa K, Hirayama T Docosahexaenoic acid supplementation improves the moderately severe dementia from thrombotic cerebrovascular diseases. *Lipids* 1999;34 Suppl:S345-6 [[10419198](#)]

**Veale, 1994:**

Veale DJ, Torley HI, Richards IM, O'Dowd A, Fitzsimons C, Belch JJ, Sturrock RD A double-blind placebo controlled trial of Efamol Marine on skin and joint symptoms of psoriatic arthritis. *Br J Rheumatol* 1994;33:954-8 [[7921757](#)]

**Almallah, 1998:**

Almallah YZ, Richardson S, O'Hanrahan T, Mowat NA, Brunt PW, Sinclair TS, Ewen S, Heys SD, Eremin O Distal procto-colitis, natural cytotoxicity, and essential fatty acids. *Am J Gastroenterol* 1998 May;93:804-9 [[9625132](#)]

**Dry, 1991:**

Dry J, Vincent D Effect of a fish oil diet on asthma: results of a 1-year double-blind study. *Int Arch Allergy Appl Immunol* 1991;95:156-7 [[1834587](#)]

**Geusens, 1994:**

Geusens P, Wouters C, Nijs J, Jiang Y, Dequeker J Long-term effect of omega-3 fatty acid supplementation in active rheumatoid arthritis. A 12-month, double-blind, controlled study. *Arthritis Rheum* 1994 Jun;37:824-9 [[8003055](#)]

**Loeschke, 1996:**

Loeschke K, Ueberschaer B, Pietsch A, Gruber E, Ewe K, Wiebecke B, Heldwein W, Lorenz R n-3 fatty acids only delay early relapse of ulcerative colitis in remission. *Dig Dis Sci* 1996 Oct;41:2087-94 [[8888725](#)]

**Lorenz-Meyer, 1996:**

Lorenz-Meyer H, Bauer P, Nicolay C, Schulz B, Purrmann J, Fleig WE, Scheurlen C, Koop I, Pudel V, Carr L Omega-3 fatty acids and low carbohydrate diet for maintenance of remission in Crohn's disease. A randomized controlled multicenter trial. Study Group Members (German Crohn's Disease Study Group). *Scand J Gastroenterol* 1996 Aug;31:778-85 [[8858747](#)]

**Greenfield, 1993:**

Greenfield SM, Green AT, Teare JP, Jenkins AP, Punchard NA, Ainley CC, Thompson RP A randomized controlled study of evening primrose oil and fish oil in ulcerative colitis. *Aliment Pharmacol Ther* 1993 Apr;7:159-66 [[8485269](#)]

**Skoldstam, 1992:**

Skoldstam L, Brjesson O, Kjllman A, Seiving B, Akesson B Effect of six months of fish oil supplementation in stable rheumatoid arthritis. A double-blind, controlled study. *Scand J Rheumatol* 1992;21:178-85 [[1529284](#)]

**Thien, 1993:**

Thien FC, Mencia-Huerta JM, Lee TH Dietary fish oil effects on seasonal hay fever and asthma in pollen-sensitive subjects. *Am Rev Respir Dis* 1993;147:1138-43 [[8484622](#)]

**Belluzzi, 1996:**

Belluzzi A, Brignola C, Campieri M, Pera A, Boschi S, Miglioli M Effect of an enteric-coated fish-oil preparation on relapses in Crohn's disease. *N Engl J Med* 1996 Jun 13;334:1557-60 [[8628335](#)]

Belluzzi A, Brignola C, Campieri M, Pera A, Boschi S, Miglioli M Effect of an enteric-coated fish-oil preparation on relapses in Crohn's disease. *N Engl J Med* 1996 Jun 13;334:1557-60 [[8628335](#)]

## 2 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.