

Clinical trials of antiplatelets drug for cardiovascular prevention in diabetic patients

TrialResults-center www.trialresultscenter.org

1 platelet aggregation inhibitors

Trial	Treatments	Patients	Trials design and methods
aspirin vs no treatment			
PPP (diabetics sub group) , 2003 n=519/512 follow-up: 3.6 y	aspirin 100mg daily versus control	men and women with diabetes and without a previous cardiovascular event aged >50 with >=1 risk factors for cardiovascular disease - sub group of diabetic patients	Factorial plan open Italy
JPAD , 2008 [NCT00110448] n=1262/1277 follow-up: 4.37 y median	low-dose aspirin (81 or 100 mg per day) versus no aspirin	patients with type 2 diabetes without a history of atherosclerotic disease	Parallel groups open Japan
aspirin vs placebo			
PHS (diabetics sub group) , 1989 n=275/258 follow-up: 5 y	aspirin 325 mg every other day versus placebo	healthy men (diabetic sub group of patients enrolled if PHS)	Factorial plan double blind
ETDRS , 1992 n=1856/1855 follow-up: 60 months	aspirin 650mg once daily versus placebo	patients with diabetes mellitus (Type I or II)	Parallel groups double blind
WHS (diabetics sub group) , 2005 n=514/513 follow-up: 10.1 y	aspirin 100mg on alternate days versus placebo	healthy women 45 years of age or older - diabetics sub groups	Parallel groups double blind US
POPADAD aspirin , 2008 [ISRCTN53295293] n=638/638 follow-up: nov 1997 - jul 2001	aspirin 100mg daily versus placebo	patients with diabetes mellitus and asymptomatic peripheral arterial disease	Factorial plan double blind Scotland
DAMAD , 1989 n=318/157 follow-up: 3 y	aspirin alone (330 mg 3 times daily) or in combination with dipyridamole (75 mg 3 times daily) versus placebo	patients with early diabetic retinopathy	Parallel groups double blind
ASCEND (aspirin) ongoing [NCT00135226] n=NA follow-up:	aspirin 100mg daily versus placebo	people with diabetes without cardiovascular disease	Factorial plan double blind UK

continued...

Trial	Treatments	Patients	Trials design and methods
ACCEPT-D <i>ongoing</i> [ISRCTN48110081] n=NA follow-up:	aspirin 100mg daily top simvastatin 20mg daily versus no aspirin on top simvastatin 20mg daily	diabetic patients without clinically manifest vascular disease	Parallel groups open
picotamide vs placebo			
Cocozza , 1995 n=25/25 follow-up: 24 months	picotamide 300 mg TID versus placebo	normotensive diabetic patients with asymptomatic mild or moderate nonstenotic (<50%) carotid atherosclerotic lesions and negative history of cerebrovascular ischemic events	Parallel groups double blind Italy
sulfinyrazone vs placebo			
Dutch , 1980 <i>unpublished</i> n=30/31 follow-up: 32 months	-	-	Parallel groups
ticlopidine vs placebo			
Birmingham-A , 1979 <i>unpublished</i> n=20/8 follow-up: 2 months	-	-	Parallel groups
London diabetes , 1983 <i>unpublished</i> n=38/40 follow-up: 12 months	-	-	Parallel groups
TIMAD , 1984 n=220/215 follow-up: 32m	-	-	Parallel groups
BTRS , 1992 n=49/51 follow-up: 48 months	ticlopidine 500mg/d versus placebo	insulin-treated diabetics with background retinopathy	Parallel groups double blind
Nyberg , 1984 n=12/11 follow-up: 12 months	ticlopidine 500mg daily versus placebo	insulin dependent diabetes complicated by nephropathy	Parallel groups double blind

References

PPP (diabetics sub group), 2003:

Sacco M, Pellegrini F, Roncagliani MC, Avanzini F, Tognoni G, Nicolucci A Primary prevention of cardiovascular events with low-dose aspirin and vitamin E in type 2 diabetic patients: results of the Primary Prevention Project (PPP) trial. *Diabetes Care* 2003;26:3264-72 [[14633812](#)]

JPAD, 2008:

Ogawa H, Nakayama M, Morimoto T, Uemura S, Kanauchi M, Doi N, Jinnouchi H, Sugiyama S, Saito Y Low-dose aspirin for primary prevention of atherosclerotic events in patients with type 2 diabetes: a randomized controlled trial. *JAMA* 2008;300:2134-41 [[18997198](#)]

PHS (diabetics sub group), 1989:

Final report on the aspirin component of the ongoing Physicians' Health Study. Steering Committee of the Physicians' Health Study Research Group. *N Engl J Med* 1989;321:129-35 [[2664509](#)]

ETDRS, 1992:

Aspirin effects on mortality and morbidity in patients with diabetes mellitus. Early Treatment Diabetic Retinopathy Study report 14. ETDRS Investigators. JAMA 1992 Sep 9;268:1292-300 [[1507375](#)]

WHS (diabetics sub group), 2005:

Ridker PM, Cook NR, Lee IM, Gordon D, Gaziano JM, Manson JE, Hennekens CH, Buring JE A randomized trial of low-dose aspirin in the primary prevention of cardiovascular disease in women. N Engl J Med 2005;352:1293-304 [[15753114](#)] [10.1056/NEJMoa050613](#)

POPADAD aspirin, 2008:

Belch J, MacCuish A, Campbell I, Cobbe S, Taylor R, Prescott R, Lee R, Bancroft J, MacEwan S, Shepherd J, Macfarlane P, Morris A, Jung R, Kelly C, Connacher A, Peden N, Jamieson A, Matthews D, Leese G, McKnight J, O'Brien I, Semple C, Petrie J, Gordon D, The prevention of progression of arterial disease and diabetes (POPADAD) trial: factorial randomised placebo controlled trial of aspirin and antioxidants in patients with diabetes and asymptomatic peripheral arterial disease. BMJ 2008 Oct 16;337:a1840 [[18927173](#)]

DAMAD, 1989:

ASCEND (aspirin), 0:

ACCEPT-D, 0:

Cocozza, 1995:

Dutch, 1980:

Birmingham-A, 1979:

London diabetes, 1983:

TIMAD, 1984:

BTRS, 1992:

Nyberg, 1984:

3

2 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.