

Clinical trials of PCI for acute myocardial infarction in patients with inducible post MI ischemia

TrialResults-center www.trialresultscenter.org

1 early angioplasty (<3 days) after thrombolysis

Trial	Treatments	Patients	Trials design and methods
invasive strategy vs conservative strategy			
DANAMI , 1997 n=NA follow-up: 2.4y	invasive strategy of PTCA or CABG versus conservative strategy	patients who received thrombolytic treatment for a first acute myocardial infarction and with inducible myocardial ischemia (either symptomatic angina pectoris presenting spontaneously >36 hours after admission or during a predischARGE exercise test or ST changes during exercise compatible with ischemia)	

References

DANAMI, 1997:

Madsen JK, Grande P, Saunamki K, Thayssen P, Kassis E, Eriksen U, Rasmussen K, Hauns S, Nielsen TT, Haghfelt T, Fritz-Hansen P, Hjelms E, Paulsen PK, Alstrup P, Arendrup H, Niebuhr-Jrgensen U, Andersen LI Danish multicenter randomized study of invasive versus conservative treatment in patients with inducible ischemia after thrombolysis in acute myocardial infarction (DANAMI). DANish trial in Acute Myocardial Infarction. *Circulation* 1997 Aug 5;96:748-55 [[9264478](#)]

Madsen JK, Nielsen TT, Grande P, Eriksen UH, Saunamki K, Thayssen P, Kassis E, Rasmussen K, Hauns S, Haghfelt T, Fritz-Hansen P, Hjelms E, Paulsen PK, Alstrup P, Arendrup H, Niebuhr-Jrgensen U, Andersen LI Revascularization compared to medical treatment in patients with silent vs. symptomatic residual ischemia after thrombolysed myocardial infarction—the DANAMI study. *Cardiology* 2007;108:243-51 [[17114878](#)]

2 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.