

Clinical trials of cholesterol lowering intervention for cardiovascular prevention in patients with renal insufficiency (on hemodialysis or transplant)

TrialResults-center www.trialresultscenter.org

1 ezetimibe

Trial	Treatments	Patients	Trials design and methods
ezetimibe+simvastatin vs placebo			
SHARP , 2010 [NCT00125593] n=4193/4191 follow-up: 4.9 years	Simvastatin 20mg/Ezetimibe 10mg versus placebo	patients with established chronic kidney disease (dialysis or pre-dialysis)	Parallel groups double-blind 20 countries

References

SHARP, 2010:

Sharp Collaborative Group Study of Heart and Renal Protection (SHARP): Randomized trial to assess the effects of lowering low-density lipoprotein cholesterol among 9,438 patients with chronic kidney disease. Am Heart J 2010 Nov;160:785-794.e10 [21095263] [10.1016/j.ahj.2010.08.012](https://doi.org/10.1016/j.ahj.2010.08.012)

Baigent C, Landray MJ, Reith C, Emberson J, Wheeler DC, Tomson C, Wanner C, Krane V, Cass A, Craig J, Neal B, Jiang L, Hooi LS, Levin A, Agodoa L, Gaziano M, Kasiske B, Walker R, Massy ZA, Feldt-Rasmussen B, Krairitichai U, Ophascharoensuk V, Fellström B The effects of lowering LDL cholesterol with simvastatin plus ezetimibe in patients with chronic kidney disease (Study of Heart and Renal Protection): a randomised placebo-controlled trial. Lancet 2011 Jun 25;377:2181-2192 [21663949] [10.1016/S0140-6736\(11\)60739-3](https://doi.org/10.1016/S0140-6736(11)60739-3)

2 statins

Trial	Treatments	Patients	Trials design and methods
atorvastatin vs placebo			
Deutsche Diabetes Dialyse Studie (4D) , 2005 n=619/636 follow-up: 4 y (median)	atorvastatin 20mg daily versus matching placebo	patients with type 2 diabetes mellitus on maintenance hemodialysis	Parallel groups double blind
fluvastatin vs placebo			
ALERT , 2003 n=1050/1052 follow-up: 5.1 years	fluvastatin versus placebo	renal transplant recipients with total cholesterol 4090 mmol/L.	Parallel groups double blind
rosuvastatin vs placebo			
AURORA , 2009 n=1391/1385 follow-up: 3.2 y mean (max 5.6y)	rosuvastatin 10 mg daily versus placebo	in patients with end-stage renal disease on hemodialysis	Parallel groups double blind

References

Deutsche Diabetes Dialyse Studie (4D), 2005:

Wanner C, Krane V, Mrz W, Olschewski M, Mann JF, Ruf G, Ritz E Atorvastatin in patients with type 2 diabetes mellitus undergoing hemodialysis. N Engl J Med 2005 Jul 21;353:238-48 [16034009]

ALERT, 2003:

Holdaas H, Fellstrom B, Jardine AG, Holme I, Nyberg G, Fauchald P, Gronhagen-Riska C, Madsen S, Neumayer HH, Cole E, Maes B, Ambuhl P, Olsson AG, Hartmann A, Solbu DO, Pedersen TR Effect of fluvastatin on cardiac outcomes in renal transplant recipients: a multicentre, randomised, placebo-controlled trial. Lancet 2003 Jun 14;361:2024-31 [12814712]

AURORA, 2009:

Fellstrom BC, Jardine AG, Schmieder RE, et al. Rosuvastatin and cardiovascular events in patients undergoing hemodialysis N Engl J Med 2009;360:1395-407. [19332456]

Fellstrm BC, Jardine AG, Schmieder RE, Holdaas H, Bannister K, Beutler J, Chae DW, Chevaile A, Cobbe SM, Grnhagen-Riska C, De Lima JJ, Lins R, Mayer G, McMahon AW, Parving HH, Remuzzi G, Samuelsson O, Sonkodi S, Sci D, Sleymanlar G, Tsakiris D, Tesar V Rosuvastatin and cardiovascular events in patients undergoing hemodialysis. N Engl J Med 2009;360:1395-407 [19332456]

3 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.