

# Clinical trials of off-pump CABG for CABG surgery in all type of patients

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 CABG

| Trial  | Treatments  | Patients   | Trials design and methods                             |
|--|---|--|---|
| <b>off-pump vs on-pump</b>   |   |  |   |
| <b>Al-Ruzzeh b , 2006</b><br>n=84/84<br>follow-up: 6 months                    | off-pump<br>versus<br>coronary artery bypass grafting surgery using<br>cardiopulmonary bypass                     | patients requiring primary isolated coronary<br>artery bypass grafting surgery   | Parallel groups<br>open with blinded assessment<br>UK |
| <b>Alwan , 2004</b><br>n=35/35<br>follow-up: In-hospital/30-day<br>mortality   | beating heart revascularization<br>versus<br>arrested heart revascularization                                     | patients undergoing CABG   | Parallel groups<br>open                               |
| <b>Ascione , 2006</b><br>n=20/20<br>follow-up: In-hospital                     | off-pump coronary artery bypass grafting<br>versus<br>artery bypass grafting with cardiopulmonary<br>bypass       | patient undergoing CABG  | Parallel groups<br>open                               |
| <b>Ascionee , 2005</b><br>n=10/10<br>follow-up: In-hospital                    | off-pump CABG<br>versus<br>on-pump CABG   | patient undergoing CABG  | Parallel groups<br>open                               |
| <b>Baker , 2001</b><br>n=12/14<br>follow-up:                                   | off pump surgery using the Octopus II<br>stabilizing system<br>versus<br>conventional CABG cardiopulmonary bypass | elective patients requiring surgery for double<br>or triple vessel disease   | open  |
| <b>BBS (Moller) , 2010</b><br>[NCT00120991]<br>n=177/164<br>follow-up: 30 days | off-pump CABG<br>versus<br>on-pump CABG   | patients >54 years of age with three-vessel<br>coronary artery disease with EuroSCORE of<br>5-16 undergoing elective or sub-acute<br>coronary artery bypass grafting | Parallel groups<br>open blind assessor                |
| <b>BHACAS I (Ascione) , 1999</b><br>n=100/100<br>follow-up: 65279;25 months    | off-pump<br>versus<br>on-pump   | cardiac surgery candidates   | Parallel groups<br>open with blinded assessment       |
| <b>BHACAS II (Angelini) , 2002</b><br>n=100/101<br>follow-up: 13.7 months      | off-pump<br>versus<br>on-pump   | patients with myocardial infarction in the<br>past month or who required grafting of the<br>circumflex artery distal to the first obtuse<br>marginal branch          | Parallel groups<br>open with blinded assessment       |
| <b>Caputo , 2002</b><br>n=20/20<br>follow-up: In-hospital                      | beating heart surgery (off-pump)<br>versus<br>conventional CABG with cardiopulmonary<br>bypass                    | patients undergoing coronary artery bypass<br>grafting   | Parallel groups<br>open                               |

continued...

| <b>Trial</b>  | <b>Treatments</b>  | <b>Patients</b>   | <b>Trials design and methods</b> |
|---|--|---|----------------------------------|
| <b>Carrier , 2003</b><br>n=32/33<br>follow-up: In-hospital/30-day mortality | off-pump CABG<br>versus<br>on-pump CABG  | high-risk patients  | Parallel groups<br>open          |
| <b>Covino , 2001</b><br>n=21/16<br>follow-up: In-hospital                   | -  | -   | open                             |
| <b>Czerny , 2000</b><br>n=NA  | -  | -   | open                             |
| <b>Czerny b , 2001</b><br>n=NA  | -  | -   | open                             |
| <b>Diegeler , 2000</b><br>n=20/20<br>follow-up: In-hospital                 | coronary artery bypass operation without cardiopulmonary bypass (off-pump CABG)<br>versus<br>conventional coronary artery bypass operation using cardiopulmonary bypass                            | cardiac surgery candidates  | Parallel groups<br>open          |
| <b>DOORS , 2009</b><br>[NCT00123981]<br>n=NA<br>follow-up: 30 days          | Off-Pump Coronary Artery Bypass Grafting<br>versus<br>on-pump CABG   | elderly patients  | Parallel groups<br>open          |
| <b>Dorman , 2004</b><br>n=NA  | -  | -   | open                             |
| <b>Gasz , 2004</b><br>n=NA  | -  | -   | open                             |
| <b>Gerola , 2001</b><br>n=80/80<br>follow-up: In-hospital/30-day mortality  | off-pump coronary artery bypass<br>versus<br>on-pump CABG  | low-risk patients undergoing CABG   | Parallel groups<br>open          |
| <b>Gu , 1998</b><br>n=31/31<br>follow-up: 65279;In-hospital                 | minimally invasive coronary artery bypass grafting<br>versus<br>conventional coronary artery bypass grafting with cardiopulmonary bypass   | patients with isolated stenosis of the left anterior descending coronary artery | Parallel groups<br>open          |
| <b>Guler , 2001</b><br>n=NA   | -  | -   | open                             |
| <b>Gulielmos , 1999</b><br>n=20/20<br>follow-up: 3 months                   | off-pump coronary artery bypass with median sternotomy or off-pump procedure and lateral minithoracotomy<br>versus<br>conventional technique or lateral minithoracotomy and cardiopulmonary bypass | patients with coronary artery single-vessel disease                             | Parallel groups<br>open          |
| <b>Jares , 2006</b><br>n=10/10<br>follow-up: 24 h                           | off-pump CABG<br>versus<br>on-pump CABG  | patients scheduled for coronary bypass grafting                                 | Parallel groups<br>open          |

continued...

| <b>Trial</b>   | <b>Treatments</b>   | <b>Patients</b>  | <b>Trials design and methods</b>                                   |
|--|---|--|--|
| <b>Khan , 2004</b><br>n=54/49<br>follow-up: 3 months                       | off-pump CABG<br>versus<br>conventional "on-pump" surgery   | patient undergoing CABG  | Parallel groups<br>open  |
| <b>Kobayashi , 2005</b><br>n=81/86<br>follow-up: 30 days                   | off-pump CABG<br>versus<br>on-pump CABG   | patients referred for elective primary CABG                              | Parallel groups<br>open  |
| <b>Kunes , 2007</b><br>n=17/17<br>follow-up: 7 days                        | off-pump CABG<br>versus<br>on-pump CABG   | patient undergoing CABG  | Parallel groups<br>open  |
| <b>Lee , 2003</b><br>n=30/30<br>follow-up:                                 | off-pump CABG<br>versus<br>conventional on-pump CABG  | patients undergoing CABG   | open   |
| <b>Legare , 2004</b><br>[NCT00216957]<br>n=150/150<br>follow-up: 3.8 years | off-pump CABG<br>versus<br>on-pump CABG   | patients undergoing CABG   | Parallel groups<br>open  |
| <b>Lingaas , 2003</b><br>n=60/60<br>follow-up: 12 months                   | off-pump CABG<br>versus<br>on-pump CABG   | patient undergoing CABG  | Parallel groups<br>open  |
| <b>Matata , 2000</b><br>n=10/10<br>follow-up: In-hospital                  | off-pump<br>versus<br>on-pump   | cardiac surgery candidates   | Parallel groups<br>open  |
| <b>Michaux , 2006</b><br>n=25/25<br>follow-up: 30 days                     | off-pump CABG<br>versus<br>on-pump CABG   | patients scheduled for elective coronary<br>artery bypass surgery        | Parallel groups<br>open  |
| <b>Motallebzadeh , 2004</b><br>n=15/20<br>follow-up: In-hospital           | off-pump CABG<br>versus<br>on-pump CABG   | patients admitted for CABG   | Parallel groups<br>open  |
| <b>Motallebzadeh b , 2006</b><br>n=108/104<br>follow-up: 6 months          | off-pump CABG<br>versus<br>on-pump CABG   | patients admitted for elective coronary artery<br>bypass graft surgery   | Parallel groups<br>open  |
| <b>Muneretto , 2003</b><br>n=NA  | -   | -  | open   |
| <b>Niranjan , 2006</b><br>n=40/40<br>follow-up: In-hospital                | off-pump CABG with or without cell saver<br>blood transfusion<br>versus<br>on-pump CABG with or without cell saver<br>blood transfusion | patient undergoing CABG  | open   |
| <b>OCTOPUS (van Dijk) , 2002</b><br>n=142/139<br>follow-up: 5 years        | off-pump surgery<br>versus<br>on-pump surgery   | patients with predominantly single- or<br>double-vessel coronary disease | Parallel groups<br>open with blinded assessment<br>the Netherlands |
| <b>Ozkara , 2007</b><br>n=22/22<br>follow-up: In-hospital                  | off-pump CABG<br>versus<br>on-pump CABG   | patients admitted for elective CABG                                      | Parallel groups<br>open  |

continued...

| <b>Trial</b>   | <b>Treatments</b>   | <b>Patients</b>  | <b>Trials design and methods</b>                      |
|--|---|--|---|
| Paparella , 2006<br>n=15/16<br>follow-up: In-hospital                          | off-pump CABG<br>versus<br>on-pump CABG                                       | patient undergoing CABG  | Parallel groups<br>open                               |
| Parolari , 2003<br>n=NA  | -   | -  | open  |
| Parolari b , 2003<br>n=NA  | -   | -  | open  |
| Penttila , 2001<br>n=11/11<br>follow-up: In-hospital                           | off-pump CABG<br>versus<br>on-pump CABG                                       | patients requiring CABG  | Parallel groups<br>open                               |
| PRAGUE 4 (Widimsky) ,<br>2004<br>n=208/192<br>follow-up: 1 y                   | off pump<br>versus<br>on pump   | cardiac surgery candidates   | Parallel groups<br>open                               |
| PROMISS (Uva) , 2010<br>n=75/75<br>follow-up: 5 weeks (498 days)               | off-pump<br>versus<br>on-pump   | patients between 30 and 90 years of age with<br>multi-vessel coronary artery disease<br>undergoing CABG with at least three distal<br>coronary anastomoses | Parallel groups<br>open                               |
| Puskas , 2004<br>n=NA  | -   | -  | open  |
| Raja b , 2003<br>n=150/150<br>follow-up: In-hospital                           | on-pump CABG<br>versus<br>off-pump CABG                                       | patients undergoing CABG   | Parallel groups<br>open                               |
| ROOBY (Shroyer) , 2009<br>[NCT00032630]<br>n=1104/1099<br>follow-up: 1 mo (1y) | off-pump CABG<br>versus<br>on-pump CABG                                       | patients scheduled for urgent or elective<br>coronary bypass surgery   | Parallel groups<br>open<br>USA                        |
| Sahlman , 2003<br>n=NA   | -   | -  | open  |
| Selvanayagam , 2004<br>n=30/30<br>follow-up: In-hospital                       | off-pump CABG<br>versus<br>on-pump CABG                                       | patients undergoing multivessel CABG   | Parallel groups<br>open                               |
| SMART (Staton) , 2003<br>n=100/100<br>follow-up: 12 months                     | off-pump coronary artery bypass<br>versus<br>CABG with cardiopulmonary bypass | patients unselected for coronary anatomy,<br>ventricular function, or comorbidities  | Parallel groups<br>open with blinded assessment<br>US |
| Syed , 2004<br>n=NA  | -   | -  | open  |
| Tang , 2002<br>n=NA  | -   | -  | open  |
| Tatoulis , 2006<br>n=50/50<br>follow-up: 30 days                               | off-pump CABG<br>versus<br>on-pump CABG                                       | candidates for elective CABG   | Parallel groups<br>open                               |

continued...

| Trial  | Treatments                              | Patients  | Trials design and methods       |
|--|---|---|---------------------------------|
| Vedin , 2006<br>n=NA<br>follow-up:                                     | off-pump CABG<br>versus<br>on-pump CABG | patients between 50 and 80 years with stable angina pectoris, ejection fraction >30% , serum creatinine <150 micromol/l, and lack of tight main stem stenosis | open                            |
| Velisaris , 2003<br>n=NA   | -                                       | -   | open                            |
| Vural , 1995<br>n=NA   | -                                       | -   | open                            |
| Wan , 2004<br>n=NA   | -                                       | -   | open                            |
| Wandschneider , 2000<br>n=NA   | -                                       | -   | open                            |
| Zamvar , 2002<br>n=30/30<br>follow-up: 10 weeks                        | off-pump CABG<br>versus<br>on-pump CABG | patients undergoing coronary artery bypass graft surgery for triple vessel disease  | Parallel groups<br>open<br>UK   |
| GOPCABE <i>ongoing</i><br>[NCT00719667]<br>n=NA<br>follow-up:          | Off-pump CABG<br>versus<br>ON-pump CABG | Elderly   | Parallel groups<br>open         |
| OCTOPUS II <i>ongoing</i><br>n=NA                                      | -                                       | -   |                                 |
| Ontario <i>ongoing</i><br>[NCT00259493]<br>n=NA<br>follow-up: 3 months | Off-Pump CABG<br>versus<br>On-Pump CABG | -   | Parallel groups<br>double blind |

## References

### Al-Ruzzeh b, 2006:

Al-Ruzzeh S, George S, Bustami M, Wray J, Ilesley C, Athanasiou T, Amrani M Effect of off-pump coronary artery bypass surgery on clinical, angiographic, neurocognitive, and quality of life outcomes: randomised controlled trial. *BMJ* 2006;332:1365 [16740529] [10.1136/bmj.38852.479907.7C](https://doi.org/10.1136/bmj.38852.479907.7C)

Al-Ruzzeh S, Hoare G, Marczin N, Asimakopoulos G, George S, Taylor K, Amrani M Off-pump coronary artery bypass surgery is associated with reduced neutrophil activation as measured by the expression of CD11b: a prospective randomized study. *Heart Surg Forum* 2003;6:89-93 [14640133]

### Alwan, 2004:

Alwan K, Falcoz PE, Alwan J, Mouawad W, Oujaimi G, Chocron S, Etievent JP Beating versus arrested heart coronary revascularization: evaluation by cardiac troponin I release. *Ann Thorac Surg* 2004;77:2051-5 [15172263] [10.1016/j.athoracsur.2003.11.004](https://doi.org/10.1016/j.athoracsur.2003.11.004)

### Ascione, 2006:

Ascione R, Talpahewa S, Rajakaruna C, Reeves BC, Lovell AT, Cohen A, Angelini GD Splanchnic organ injury during coronary surgery with or without cardiopulmonary bypass: a randomized, controlled trial. *Ann Thorac Surg* 2006;81:97-103 [16368344] [10.1016/j.athoracsur.2005.06.038](https://doi.org/10.1016/j.athoracsur.2005.06.038)

### Ascione, 2005:

Ascione R, Ghosh A, Reeves BC, Arnold J, Potts M, Shah A, Angelini GD Retinal and cerebral microembolization during coronary artery bypass surgery: a randomized, controlled trial. *Circulation* 2005;112:3833-8 [16365207] [10.1161/CIRCULATIONAHA.105.557462](https://doi.org/10.1161/CIRCULATIONAHA.105.557462)

### Baker, 2001:

Baker RA, Andrew MJ, Ross IK, Knight JL The Octopus II stabilizing system: biochemical and neuropsychological outcomes in coronary artery bypass surgery. *Heart Surg Forum* 2001;4 Suppl 1:S19-23 [[11178303](#)]

#### **BBS (Moller), 2010:**

Jensen B, Rasmussen LS, Steinbrchel DA Cognitive outcomes in elderly high-risk patients 1 year after off-pump versus on-pump coronary artery bypass grafting. A randomized trial. *Eur J Cardiothorac Surg* 2008;34:1016-21 [[18778948](#)]

Mller CH, Perko MJ, Lund JT, Andersen LW, Kelbaek H, Madsen JK, Winkel P, Gluud C, Steinbrchel DA No major differences in 30-day outcomes in high-risk patients randomized to off-pump versus on-pump coronary bypass surgery: the best bypass surgery trial. *Circulation* 2010 Feb 2;121:498-504 [[20083683](#)] [10.1161/CIRCULATIONAHA.109.880443](#)

Mller CH, Perko MJ, Lund JT, Andersen LW, Kelbk H, Madsen JK, Winkel P, Gluud C, Steinbrchel DA Three-year follow-up in a subset of high-risk patients randomly assigned to off-pump versus on-pump coronary artery bypass surgery: the Best Bypass Surgery trial. *Heart* 2011;97:907-13 [[21415073](#)] [10.1136/hrt.2010.211680](#)

#### **BHACAS I (Ascione), 1999:**

Angelini GD, Taylor FC, Reeves BC, Ascione R Early and midterm outcome after off-pump and on-pump surgery in Beating Heart Against Cardioplegic Arrest Studies (BHACAS 1 and 2): a pooled analysis of two randomised controlled trials. *Lancet* 2002;359:1194-9 [[11955537](#)] [10.1016/S0140-6736\(02\)08216-8](#)

Ascione R, Lloyd CT, Underwood MJ, Gomes WJ, Angelini GD On-pump versus off-pump coronary revascularization: evaluation of renal function. *Ann Thorac Surg* 1999;68:493-8 [[10475418](#)]

Ascione R, Lloyd CT, Underwood MJ, Lotto AA, Pitsis AA, Angelini GD Economic outcome of off-pump coronary artery bypass surgery: a prospective randomized study. *Ann Thorac Surg* 1999;68:2237-42 [[10617009](#)]

Ascione R, Lloyd CT, Gomes WJ, Caputo M, Bryan AJ, Angelini GD Beating versus arrested heart revascularization: evaluation of myocardial function in a prospective randomized study. *Eur J Cardiothorac Surg* 1999;15:685-90 [[10386418](#)]

#### **BHACAS II (Angelini), 2002:**

Angelini GD, Taylor FC, Reeves BC, Ascione R Early and midterm outcome after off-pump and on-pump surgery in Beating Heart Against Cardioplegic Arrest Studies (BHACAS 1 and 2): a pooled analysis of two randomised controlled trials. *Lancet* 2002;359:1194-9 [[11955537](#)] [10.1016/S0140-6736\(02\)08216-8](#)

Ascione R, Reeves BC, Taylor FC, Seehra HK, Angelini GD Beating heart against cardioplegic arrest studies (BHACAS 1 and 2): quality of life at mid-term follow-up in two randomised controlled trials. *Eur Heart J* 2004;25:765-70 [[15120887](#)] [10.1016/j.ehj.2003.11.015](#)

#### **Caputo, 2002:**

Caputo M, Yeatman M, Narayan P, Marchetto G, Ascione R, Reeves BC, Angelini GD Effect of off-pump coronary surgery with right ventricular assist device on organ function and inflammatory response: a randomized controlled trial. *Ann Thorac Surg* 2002;74:2088-95; discussion 2095-6 [[12643400](#)]

#### **Carrier, 2003:**

Carrier M, Perrault LP, Jeanmart H, Martineau R, Cartier R, Pag P Randomized trial comparing off-pump to on-pump coronary artery bypass grafting in high-risk patients. *Heart Surg Forum* 2003;6:E89-92 [[14721990](#)]

#### **Covino, 2001:**

Covino E, Santise G, Di Lello F, De Amicis V, Bonifazi R, Bellino I, Spampinato N Surgical myocardial revascularization (CABG) in patients with pulmonary disease: beating heart versus cardiopulmonary bypass. *J Cardiovasc Surg (Torino)* 2001;42:23-6 [[11292901](#)]

#### **Czerny, 2000:**

Czerny M, Baumer H, Kilo J, Lassnigg A, Hamwi A, Vukovich T, Wolner E, Grimm M Inflammatory response and myocardial injury following coronary artery bypass grafting with or without cardiopulmonary bypass. *Eur J Cardiothorac Surg* 2000;17:737-42 [[10856869](#)]

#### **Czerny b, 2001:**

Czerny M, Baumer H, Kilo J, Lassnigg A, Hamwi A, Vukovich T, Wolner E, Grimm M Inflammatory response and myocardial injury following coronary artery bypass grafting with or without cardiopulmonary bypass. *Eur J Cardiothorac Surg* 2000;17:737-42 [[10856869](#)]

Czerny M, Baumer H, Kilo J, Zuckermann A, Grubhofer G, Chevchik O, Wolner E, Grimm M Complete revascularization in coronary artery bypass grafting with and without cardiopulmonary bypass. *Ann Thorac Surg* 2001;71:165-9 [[11216739](#)]

#### **Diegeler, 2000:**

Diegeler A, Hirsch R, Schneider F, Schilling LO, Falk V, Rauch T, Mohr FW Neuromonitoring and neurocognitive outcome in off-pump versus conventional coronary bypass operation. *Ann Thorac Surg* 2000;69:1162-6 [[10800812](#)]

Gulielmos V, Menschikowski M, Dill H, Eller M, Thiele S, Tugtekin SM, Jaross W, Schueler S Interleukin-1, interleukin-6 and myocardial enzyme response after coronary artery bypass grafting - a prospective randomized comparison of the conventional and three minimally invasive surgical techniques. *Eur J Cardiothorac Surg* 2000;18:594-601 [[11053823](#)]

#### **DOORS, 2009:**

Houliind K, Kjeldsen BJ, Madsen SN, Rasmussen BS, Holme SJ, Schmidt TA, Haahr PE, Mortensen PE The impact of avoiding cardiopulmonary by-pass during coronary artery bypass surgery in elderly patients: the Danish On-pump Off-pump Randomisation Study (DOORS). *Trials* 2009;10:47 [[19575814](#)]

#### **Dorman, 2004:**

Dorman BH, Kratz JM, Multani MM, Baron R, Farrar E, Walton S, Payne K, Ikonomiois J, Reeves S, Mukherjee R, Spinale FG A prospective, randomized study of endothelin and postoperative recovery in off-pump versus conventional coronary artery bypass surgery. *J Cardiothorac Vasc Anesth* 2004;18:25-9 [[14973794](#)]

#### **Gasz, 2004:**

Gasz B, Benk L, Jancs G, Lantos J, Sznt Z, Alotti N, Rth E Comparison of inflammatory response following coronary revascularization with or without cardiopulmonary bypass. *Exp Clin Cardiol* 2004;9:26-30 [[19641693](#)]

#### **Gerola, 2001:**

Gerola LR, Buffolo E, Jasbik W, Botelho B, Bosco J, Brasil LA, Branco JN Off-pump versus on-pump myocardial revascularization in low-risk patients with one or two vessel disease: perioperative results in a multicenter randomized controlled trial. *Ann Thorac Surg* 2004;77:569-73 [[14759439](#)] [10.1016/S0003-4975\(03\)01353-5](#)

Malheiros SM, Massaro AR, Gabbai AA, Pessa CJ, Gerola LR, Branco JN, Lira Filho EB, Christofalo DM, Federico D, Carvalho AC, Buffolo E Is the number of microembolic signals related to neurologic outcome in coronary bypass surgery? *Arq Neuropsiquiatr* 2001;59:1-5 [[11299422](#)]

#### **Gu, 1998:**

Gu YJ, Mariani MA, van Oeveren W, Grandjean JG, Boonstra PW Reduction of the inflammatory response in patients undergoing minimally invasive coronary artery bypass grafting. *Ann Thorac Surg* 1998;65:420-4 [[9485239](#)]

#### **Guler, 2001:**

Gler M, Kirali K, Tokar ME, Bozbuga N, Omeroglu SN, Akinci E, Yakut C Different CABG methods in patients with chronic obstructive pulmonary disease. *Ann Thorac Surg* 2001;71:152-7 [[11216737](#)]

#### **Gulielmos, 1999:**

Gulielmos V, Eller M, Thiele S, Dill HM, Jost T, Tugtekin SM, Schueler S Influence of median sternotomy on the psychosomatic outcome in coronary artery single-vessel bypass grafting. *Eur J Cardiothorac Surg* 1999;16 Suppl 2:S34-8 [[10613553](#)]

Gulielmos V, Menschikowski M, Dill H, Eller M, Thiele S, Tugtekin SM, Jaross W, Schueler S Interleukin-1, interleukin-6 and myocardial enzyme response after coronary artery bypass grafting - a prospective randomized comparison of the conventional and three minimally invasive surgical techniques. *Eur J Cardiothorac Surg* 2000;18:594-601 [[11053823](#)]

#### **Jares, 2006:**

Clauw DJ, Palmer RH, Thacker K et al. Milnacipran Efficacy in the Treatment of Fibromyalgia Syndrome: a 15 week, randomized, double blind placebo controlled trial ACR/ARHP 2007 2007; P517

Jares M, Vanek T, Bednar F, Maly M, Snircova J, Straka Z Off-pump versus on-pump coronary artery surgery. *Int Heart J* 2007;48:57-67 [[17379979](#)]

#### **Khan, 2004:**

Khan NE, De Souza A, Mister R, Flather M, Clague J, Davies S, Collins P, Wang D, Sigwart U, Pepper J A randomized comparison of off-pump and on-pump multivessel coronary-artery bypass surgery. *N Engl J Med* 2004;350:21-8 [[14702424](#)] [10.1056/NEJMoa031282](#)

#### **Kobayashi, 2005:**

Kobayashi J, Tashiro T, Ochi M, Yaku H, Watanabe G, Satoh T, Tagusari O, Nakajima H, Kitamura S Early outcome of a randomized comparison of off-pump and on-pump multiple arterial coronary revascularization. *Circulation* 2005;112:I338-43 [[16159843](#)] [10.1161/CIRCULATIONAHA.104.524504](#)

#### **Kunes, 2007:**

Kunes P, Lonsky V, Mandak J, Kolackova M, Andrys C, Kudlova M, Krejsek J The long pentraxin 3 in cardiac surgery: distinct responses in "on-pump" and "off-pump" patients. *Scand Cardiovasc J* 2007;41:171-9 [[17487767](#)] [10.1080/14017430701324262](#)

**Lee, 2003:**

Lee JD, Lee SJ, Tsushima WT, Yamauchi H, Lau WT, Popper J, Stein A, Johnson D, Lee D, Petrovitch H, Dang CR Benefits of off-pump bypass on neurologic and clinical morbidity: a prospective randomized trial. *Ann Thorac Surg* 2003;76:18-25; discussion 25-6 [[12842506](#)]

**Legare, 2004:**

Karolak W, Hirsch G, Buth K, Lgar JF Medium-term outcomes of coronary artery bypass graft surgery on pump versus off pump: results from a randomized controlled trial. *Am Heart J* 2007;153:689-95 [[17383313](#)] [10.1016/j.ahj.2007.01.033](#)

Lgar JF, Buth KJ, King S, Wood J, Sullivan JA, Hancock Friesen C, Lee J, Stewart K, Hirsch GM Coronary bypass surgery performed off pump does not result in lower in-hospital morbidity than coronary artery bypass grafting performed on pump. *Circulation* 2004;109:887-92 [[14757693](#)] [10.1161/01.CIR.0000115943.41814.7D](#)

Lgar JF, Buth KJ, Hirsch GM Conversion to on pump from OPCAB is associated with increased mortality: results from a randomized controlled trial. *Eur J Cardiothorac Surg* 2005;27:296-301 [[15691685](#)] [10.1016/j.ejcts.2004.11.009](#)

**Lingaas, 2003:**

Lingaas PS, Hol PK, Lundblad R, Rein KA, Tnnesen TI, Svennevig JL, Hauge SN, Vatne K, Fosse E Clinical and Angiographic Outcome of Coronary Surgery with and without Cardiopulmonary Bypass: A Prospective Randomized Trial. *Heart Surg Forum* 2004;7:37-41 [[14980848](#)]

Lingaas PS, Hol PK, Lundblad R, Rein KA, Mathisen L, Smith HJ, Andersen R, Thaulow E, Tnnesen TI, Svennevig JL, Hauge SN, Fredriksen PM, Andersen M, Fosse E Clinical and radiologic outcome of off-pump coronary surgery at 12 months follow-up: a prospective randomized trial. *Ann Thorac Surg* 2006;81:2089-95 [[16731135](#)] [10.1016/j.athoracsur.2005.12.003](#)

Mathisen L, Andersen MH, Hol PK, Lingaas PS, Lundblad R, Rein KA, Tnnesen TI, Mrk BE, Svennevig JL, Wahl AK, Hanestad BR, Fosse E Patient-reported outcome after randomization to on-pump versus off-pump coronary artery surgery. *Ann Thorac Surg* 2005;79:1584-9 [[15854937](#)] [10.1016/j.athoracsur.2004.10.019](#)

Lund C, Hol PK, Lundblad R, Fosse E, Sundet K, Tenne B, Brucher R, Russell D Comparison of cerebral embolization during off-pump and on-pump coronary artery bypass surgery. *Ann Thorac Surg* 2003;76:765-70; discussion 770 [[12963195](#)]

Lund C, Sundet K, Tenne B, Hol PK, Rein KA, Fosse E, Russell D Cerebral ischemic injury and cognitive impairment after off-pump and on-pump coronary artery bypass grafting surgery. *Ann Thorac Surg* 2005;80:2126-31 [[16305857](#)] [10.1016/j.athoracsur.2005.06.012](#)

Mathisen L, Andersen MH, Hol PK, Tenne B, Lund C, Russell D, Lundblad R, Halvorsen S, Wahl AK, Hanestad BR, Fosse E Preoperative cerebral ischemic lesions predict physical health status after on-pump coronary artery bypass surgery. *J Thorac Cardiovasc Surg* 2005;130:1691-7 [[16308017](#)] [10.1016/j.jtcvs.2005.08.008](#)

**Matata, 2000:**

Matata BM, Sosnowski AW, Galianes M Off-pump bypass graft operation significantly reduces oxidative stress and inflammation. *Ann Thorac Surg* 2000;69:785-91 [[10750762](#)]

**Michaux, 2006:**

Michaux I, Filipovic M, Skarvan K, Schneiter S, Schumann R, Zerkowski HR, Bernet F, Seeberger MD Effects of on-pump versus off-pump coronary artery bypass graft surgery on right ventricular function. *J Thorac Cardiovasc Surg* 2006;131:1281-8 [[16733158](#)] [10.1016/j.jtcvs.2006.01.035](#)

**Motallebzadeh, 2004:**

Motallebzadeh R, Kanagasabay R, Bland M, Kaski JC, Jahangiri M S100 protein and its relation to cerebral microemboli in on-pump and off-pump coronary artery bypass surgery. *Eur J Cardiothorac Surg* 2004;25:409-14 [[15019669](#)] [10.1016/j.ejcts.2003.12.018](#)

**Motallebzadeh b, 2006:**

Motallebzadeh R, Bland JM, Markus HS, Kaski JC, Jahangiri M Health-related quality of life outcome after on-pump versus off-pump coronary artery bypass graft surgery: a prospective randomized study. *Ann Thorac Surg* 2006;82:615-9 [[16863773](#)] [10.1016/j.athoracsur.2006.03.081](#)

Motallebzadeh R, Bland JM, Markus HS, Kaski JC, Jahangiri M Neurocognitive function and cerebral emboli: randomized study of on-pump versus off-pump coronary artery bypass surgery. *Ann Thorac Surg* 2007;83:475-82 [[17257972](#)] [10.1016/j.athoracsur.2006.09.024](#)

**Muneretto, 2003:**

Muneretto C, Bisleri G, Negri A, Manfredi J, Metra M, Nodari S, Dei Cas L Off-pump coronary artery bypass surgery technique for total arterial myocardial revascularization: a prospective randomized study. *Ann Thorac Surg* 2003;76:778-82; discussion 783 [[12963199](#)]



**Niranjan, 2006:**

Niranjan G, Asimakopoulos G, Karagounis A, Cockerill G, Thompson M, Chandrasekaran V Effects of cell saver autologous blood transfusion on blood loss and homologous blood transfusion requirements in patients undergoing cardiac surgery on- versus off-cardiopulmonary bypass: a randomised trial. *Eur J Cardiothorac Surg* 2006;30:271-7 [[16829083](#)] [10.1016/j.ejcts.2006.04.042](#)

**OCTOPUS (van Dijk), 2002:**

van Dijk D, Nierich AP, Jansen EW, Nathoe HM, Suyker WJ, Diephuis JC, van Boven WJ, Borst C, Buskens E, Grobbee DE, Robles De Medina EO, de Jaegere PP Early outcome after off-pump versus on-pump coronary bypass surgery: results from a randomized study. *Circulation* 2001;104:1761-6 [[11591611](#)]

Nathoe HM, van Dijk D, Jansen EW, Suyker WJ, Diephuis JC, van Boven WJ, de la Riviere AB, Borst C, Kalkman CJ, Grobbee DE, Buskens E, de Jaegere PP A comparison of on-pump and off-pump coronary bypass surgery in low-risk patients. *N Engl J Med* 2003;348:394-402 [[12556542](#)] [10.1056/NEJMoa021775](#)

van Dijk D, Nierich AP, Eefting FD, Buskens E, Nathoe HM, Jansen EW, Borst C, Knape JT, Brede JJ, Robles de Medina EO, Grobbee DE, Diephuis JC, de Jaegere PP The Octopus Study: rationale and design of two randomized trials on medical effectiveness, safety, and cost-effectiveness of bypass surgery on the beating heart. *Control Clin Trials* 2000;21:595-609 [[11146152](#)]

van Dijk D, de Jaegere PP Neuropsychological outcome after off-pump versus on-pump coronary bypass surgery: the octopus randomized trial. *Circulation* 2002;105:E179 [[12034669](#)]

Van Dijk D, Jansen EW, Hijman R, Nierich AP, Diephuis JC, Moons KG, Lahpor JR, Borst C, Keizer AM, Nathoe HM, Grobbee DE, De Jaegere PP, Kalkman CJ Cognitive outcome after off-pump and on-pump coronary artery bypass graft surgery: a randomized trial. *JAMA* 2002;287:1405-12 [[11903027](#)]

van Dijk D, Spoor M, Hijman R, Nathoe HM, Borst C, Jansen EW, Grobbee DE, de Jaegere PP, Kalkman CJ Cognitive and cardiac outcomes 5 years after off-pump vs on-pump coronary artery bypass graft surgery. *JAMA* 2007;297:701-8 [[17312289](#)] [10.1001/jama.297.7.701](#)

**Ozkara, 2007:**

Ozkara C, Guler N, Batyraliev T, Okut H, Agirbasli M Does off-pump coronary artery bypass surgery reduce secretion of plasminogen activator inhibitor-1? *Int J Clin Pract* 2007;61:763-7 [[17343662](#)] [10.1111/j.1742-1241.2006.00952.x](#)

**Paparella, 2006:**

Paparella D, Galeone A, Venneri MT, Coviello M, Scrascia G, Marraudino N, Quaranta M, de Luca Tupputi Schinosa L, Brister SJ Activation of the coagulation system during coronary artery bypass grafting: comparison between on-pump and off-pump techniques. *J Thorac Cardiovasc Surg* 2006;131:290-7 [[16434256](#)] [10.1016/j.jtcvs.2005.10.018](#)

**Parolari, 2003:**

Parolari A, Alamanni F, Juliano G, Polvani G, Roberto M, Veglia F, Fumero A, Carlucci C, Rona P, Brambillasca C, Sisillo E, Biglioli P Oxygen metabolism during and after cardiac surgery: role of CPB. *Ann Thorac Surg* 2003;76:737-43; discussion 743 [[12963188](#)]

**Parolari b, 2003:**

Parolari A, Alamanni F, Juliano G, Polvani G, Roberto M, Veglia F, Fumero A, Carlucci C, Rona P, Brambillasca C, Sisillo E, Biglioli P Oxygen metabolism during and after cardiac surgery: role of CPB. *Ann Thorac Surg* 2003;76:737-43; discussion 743 [[12963188](#)]

**Penttila, 2001:**

Penttil HJ, Lepojrvi MV, Kiviluoma KT, Kaukoranta PK, Hassinen IE, Peuhkurinen KJ Myocardial preservation during coronary surgery with and without cardiopulmonary bypass. *Ann Thorac Surg* 2001;71:565-71 [[11235707](#)]

**PRAGUE 4 (Widimsky), 2004:**

Widimsky P, Straka Z, Stros P, Jirasek K, Dvorak J, Votava J, Lisa L, Budesinsky T, Kolesar M, Vanek T, Brucek P One-year coronary bypass graft patency: a randomized comparison between off-pump and on-pump surgery angiographic results of the PRAGUE-4 trial. *Circulation* 2004;110:3418-23 [[15557371](#)]

**PROMISS (Uva), 2010:**

Sousa Uva M, Cavaco S, Oliveira AG, Matias F, Silva C, Mesquita A, Aguiar P, Bau J, Pedro A, Magalhes MP Early graft patency after off-pump and on-pump coronary bypass surgery: a prospective randomized study. *Eur Heart J* 2010 Jul 1;: [[20595221](#)] [10.1093/eurheartj/ehq210](#)

**Puskas, 2004:**

Puskas JD, Williams WH, Duke PG, Staples JR, Glas KE, Marshall JJ, Leimbach M, Huber P, Garas S, Sammons BH, McCall SA, Petersen RJ, Bailey DE, Chu H, Mahoney EM, Weintraub WS, Guyton RA Off-pump coronary artery bypass grafting provides complete revascularization with reduced myocardial injury, transfusion requirements, and length

of stay: a prospective randomized comparison of two hundred unselected patients undergoing off-pump versus conventional coronary artery bypass grafting. *J Thorac Cardiovasc Surg* 2003;125:797-808 [[12698142](#)] [10.1067/mtc.2003.324](#)

Puskas JD, Williams WH, Mahoney EM, Huber PR, Block PC, Duke PG, Staples JR, Glas KE, Marshall JJ, Leimbach ME, McCall SA, Petersen RJ, Bailey DE, Weintraub WS, Guyton RA Off-pump vs conventional coronary artery bypass grafting: early and 1-year graft patency, cost, and quality-of-life outcomes: a randomized trial. *JAMA* 2004;291:1841-9 [[15100202](#)] [10.1001/jama.291.15.1841](#)

**Raja b, 2003:**

Raja SG, Haider Z, Ahmad M Predictors of gastrointestinal complications after conventional and beating heart coronary surgery. *Surgeon* 2003;1:221-8 [[15570766](#)]

**ROOBY (Shroyer), 2009:**

Shroyer AL, Grover FL, Hattler B, Collins JF, McDonald GO, Kozora E, Lucke JC, Baltz JH, Novitzky D On-pump versus off-pump coronary-artery bypass surgery. *N Engl J Med* 2009 Nov 5;361:1827-37 [[19890125](#)]

**Sahlman, 2003:**

Sahlman A, Ahonen J, Nemlander A, Salmenper M, Eriksson H, Rm J, Vento A Myocardial metabolism on off-pump surgery; a randomized study of 50 cases. *Scand Cardiovasc J* 2003;37:211-5 [[12944209](#)]

**Selvanayagam, 2004:**

Selvanayagam JB, Kardos A, Francis JM, Wiesmann F, Petersen SE, Taggart DP, Neubauer S Value of delayed-enhancement cardiovascular magnetic resonance imaging in predicting myocardial viability after surgical revascularization. *Circulation* 2004;110:1535-41 [[15353496](#)] [10.1161/01.CIR.0000142045.22628.74](#)

Selvanayagam JB, Petersen SE, Francis JM, Robson MD, Kardos A, Neubauer S, Taggart DP Effects of off-pump versus on-pump coronary surgery on reversible and irreversible myocardial injury: a randomized trial using cardiovascular magnetic resonance imaging and biochemical markers. *Circulation* 2004;109:345-50 [[14732755](#)] [10.1161/01.CIR.0000109489.71945.BD](#)

Selvanayagam JB, Searle N, Neubauer S, Taggart DP Correlation of coronary artery bypass surgery-related myonecrosis with grafted vessel calibre: insights from cardiovascular magnetic resonance imaging. *Heart* 2006;92:1329-30 [[16908713](#)] [10.1136/hrt.2005.080796](#)

Selvanayagam JB, Petersen SE, Francis JM, Robson MD, Kardos A, Neubauer S, Taggart DP Effects of off-pump versus on-pump coronary surgery on reversible and irreversible myocardial injury: a randomized trial using cardiovascular magnetic resonance imaging and biochemical markers. *Circulation* 2004;109:345-50 [[14732755](#)] [10.1161/01.CIR.0000109489.71945.BD](#)

**SMART (Staton), 2003:**

Puskas JD, Sharoni E, Williams WH, Petersen R, Duke P, Guyton RA Is routine use of temporary epicardial pacing wires necessary after either OPCAB or conventional CABG/CPB? *Heart Surg Forum* 2003;6:E103-6 [[14721993](#)]

Puskas JD, Williams WH, Duke PG, Staples JR, Glas KE, Marshall JJ, Leimbach M, Huber P, Garas S, Sammons BH, McCall SA, Petersen RJ, Bailey DE, Chu H, Mahoney EM, Weintraub WS, Guyton RA Off-pump coronary artery bypass grafting provides complete revascularization with reduced myocardial injury, transfusion requirements, and length of stay: a prospective randomized comparison of two hundred unselected patients undergoing off-pump versus conventional coronary artery bypass grafting. *J Thorac Cardiovasc Surg* 2003;125:797-808 [[12698142](#)] [10.1067/mtc.2003.324](#)

Puskas JD, Williams WH, Mahoney EM, Huber PR, Block PC, Duke PG, Staples JR, Glas KE, Marshall JJ, Leimbach ME, McCall SA, Petersen RJ, Bailey DE, Weintraub WS, Guyton RA Off-pump vs conventional coronary artery bypass grafting: early and 1-year graft patency, cost, and quality-of-life outcomes: a randomized trial. *JAMA* 2004;291:1841-9 [[15100202](#)] [10.1001/jama.291.15.1841](#)

Staton GW, Williams WH, Mahoney EM, Hu J, Chu H, Duke PG, Puskas JD Pulmonary outcomes of off-pump vs on-pump coronary artery bypass surgery in a randomized trial. *Chest* 2005;127:892-901 [[15764773](#)] [10.1378/chest.127.3.892](#)

**Syed, 2004:**

**Tang, 2002:**

**Tatoulis, 2006:**

**Vedin, 2006:**

**Velisaris, 2003:**

**Vural, 1995:**

**Wan, 2004:**

**Wandschneider, 2000:**

**Zamvar, 2002:**

**GOPCABE, :**

**OCTOPUS II, :**

**Ontario, :**

## **2 About TrialResults-center.org**

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.