

Clinical trials of beta-blockers for acute myocardial infarction in immediate beta-blockers

TrialResults-center www.trialresultscenter.org

1 beta-blockers

Trial	Treatments	Patients	Trials design and methods
vs placebo			
MIAMI Trial Research Group , 1985 n=2877/2901 follow-up: 15 days	-	-	Double
TIMI IIB , 1989 n=696/694 follow-up: 5 days	-	-	No
Von Essen , 1982 n=25/26 follow-up: 14 days	-	-	Double
Acebutolol vs placebo			
Azancot , 1982 n=14/12 follow-up: 65279;1 month	Acebutolol (initial dose intravenously) versus control	patients seen within 24 hours after the onset of uncomplicated anterior transmural myocardial infarction	Parallel groups open
Atenolol vs placebo			
ISIS1 Collaborative Group , 1986 n=8037/7990 follow-up: 1 year	Atenolol (initial dose intravenously) versus control	patients within 5 h the onset of suspected acute myocardial infarction	No
Van de Werf , 1993 n=100/94 follow-up: 1014 days	-	-	Double
Yusuf , 1980 n=244/233 follow-up: 1-4y	-	-	No
Betaxolol vs placebo			
Yang , 1987 n=16/15 follow-up: 14 days	-	-	Double
Labetalol vs placebo			
Heber , 1987 n=83/83 follow-up: 1 year	Labetalol (initial dose intravenously) versus control	patients with suspected myocardial infarction	No
Oxprenolol vs placebo			

continued...

Trial	Treatments	Patients	Trials design and methods
CPRG , 1981 n=177/136 follow-up: 8 weeks	-	-	Double
Fucella , 1968 n=106/114 follow-up: 21 days	-	-	Unclear
Lombardo , 1979 n=133/127 follow-up: 20 days	-	-	Double
Wilcox , 1980 n=157/158 follow-up: 6 weeks	-	-	Double
Pindolol vs placebo			
Owensby , 1984 n=50/50 follow-up: 3 days	-	-	No
Practolol vs placebo			
Johansson , 1980 n=25/29 follow-up: 6 months	-	-	Single
Evemy , 1978 n=46/48 follow-up: 7 months	-	-	No
Macleod , 1980 n=26/26 follow-up: 1 week	-	-	Unclear
Snow , 1980 n=76/67 follow-up: Short term	-	-	Unclear
Thompson , 1979 n=72/71 follow-up: 1 year	-	-	Double
Practololormetoprolol vs placebo			
Waagstein , 1975 n=38/45 follow-up: 1 week	-	-	Double
Propranolol vs placebo			
Balcon , 1966 n=56/58 follow-up: 28 days	-	-	Double
Barber , 1976 n=52/47 follow-up: 4 weeks	-	-	No

continued...

Trial	Treatments	Patients	Trials design and methods
Hutton , 1979 n=16/13 follow-up: 2 days	-	-	Unclear
Clausen , 1966 n=66/64 follow-up: 14 days	-	-	Unclear
Curtis , 1991 n=18/12 follow-up: 3.4 days	Propranolol 240mg/d versus placebo	patients with recent infarction	Double
Dotremont , 1968 n=36/36 follow-up: 36 weeks	-	-	No
Gupta , 1982 n=25/25 follow-up: Unclear	-	-	Unclear
Gupta , 1984 n=15/15 follow-up: 72 hours	-	-	No
Kahler , 1968 n=38/31 follow-up: Up to 35 days	-	-	Double
Ledwich , 1968 n=40/40 follow-up: 7 days	-	-	Double
Mueller , 1980 n=35/35 follow-up: To discharge	-	-	Double
Multicentre , 1966 n=100/95 follow-up: 28 days	-	-	Double
Nigam , 1983 n=20/20 follow-up: 1 week	-	-	Unclear
Norris , 1968 n=226/228 follow-up: 3 weeks	-	-	Double
Norris , 1978 n=20/23 follow-up: To discharge	-	-	No
Norris , 1984 n=364/371 follow-up: In hospital	-	-	No
Peter , 1978 n=47/48 follow-up: To discharge	-	-	No

continued...

Trial	Treatments	Patients	Trials design and methods
Pitt , 1976 n=9/8 follow-up: 14 days	-	-	Double
Roberts , 1984 n=134/135 follow-up: 36 months	-	-	Single
Singh , 1985 n=8/7 follow-up: 60 hours	-	-	No
Sloman , 1967 n=26/23 follow-up: To discharge	-	-	No
Sotalol vs placebo			
Lloyd , 1988 n=15/15 follow-up: 72 hours	-	-	No
Timolol vs placebo			
Campbell , 1984 n=20/19 follow-up: In hospital	-	-	Unclear
Federman , 1984 n=50/50 follow-up: 28 days	-	-	Unclear
ICSG , 1984 n=73/71 follow-up: To discharge	-	patients within four hours after onset of symptoms of myocardial infarction	Double
Ranganathan , 1988 n=45/49 follow-up: 28 days	-	-	Double IV open orally
Tonkin , 1981 n=42/46 follow-up: 1 year	-	-	Double
UKCSG , 1983 n=56/55 follow-up: To discharge	-	-	Double
Xamoterol vs placebo			
McMurray , 1991 n=25/26 follow-up: 7 days	-	-	Double

References

MIAMI Trial Research Group , 1985:

Metoprolol in acute myocardial infarction (MIAMI). A randomised placebo-controlled international trial. The MIAMI Trial Research Group. Eur Heart J 1985 Mar;6:199-226 [2863148]

TIMI IIB, 1989:

Comparison of invasive and conservative strategies after treatment with intravenous tissue plasminogen activator in acute myocardial infarction. Results of the thrombolysis in myocardial infarction (TIMI) phase II trial. The TIMI Study Group. *N Engl J Med* 1989 Mar 9;320:618-27 [2563896]

Von Essen , 1982:

von Essen R, Merx W, Neis W, Ritz R [Effect of metoprolol on infarct size after acute myocardial infarction (a double-blind study) (author's transl)] *Dtsch Med Wochenschr* 1982 Aug 27;107:1267-73 [7049656]

Azancot, 1982:

Azancot I, Lorente P, Georgiopoulos G, Beaufile P, Masquet C, Baudouy Y, Slama R Effects of acebutolol on myocardial infarct extension: a randomized electrocardiographic, enzymatic and angiographic study. *Circulation* 1982 Nov;66:986-94 [6127172]

ISIS1 Collaborative Group , 1986:

Randomised trial of intravenous atenolol among 16 027 cases of suspected acute myocardial infarction: ISIS-1. First International Study of Infarct Survival Collaborative Group. *Lancet* 1986 Jul 12;2:57-66 [2873379]

Van de Werf , 1993:

Van de Werf F, Janssens L, Brzostek T, Mortelmans L, Wackers FJ, Willems GM, Heidbuchel H, Lesaffre E, Scheys I, Collen D Short-term effects of early intravenous treatment with a beta-adrenergic blocking agent or a specific bradycardiac agent in patients with acute myocardial infarction receiving thrombolytic therapy. *J Am Coll Cardiol* 1993 Aug;22:407-16 [8335810]

Yusuf , 1980:

Yusuf S, Ramsdale D, Peto R, Furse L, Bennett D, Bray C, Sleight P Early intravenous atenolol treatment in suspected acute myocardial infarction. Preliminary report of a randomised trial. *Lancet* 1980 Aug 9;2:273-6 [6105436]

Yang , 1987:

Yang XS, Coupez R, Ector H, Kesteloot H, De Geest H Effects of betaxolol on heart rate in patients with a recent transmural myocardial infarction. *Acta Cardiol* 1987;42:273-86 [2889303]

Yang XS, Coupez R, Ector H, Kesteloot H, De Geest H Effects of betaxolol on heart rate in patients with a recent transmural myocardial infarction. *Acta Cardiol* 1987;42:273-86 [2889303]

Heber , 1987:

Heber ME, Rosenthal E, Thomas N, Haskett VL, Burwood RD, Lutkin J, Vincent R, Chamberlain DA Effect of labetalol on indices of myocardial necrosis in patients with suspected acute infarction. *Eur Heart J* 1987 Jan;8:11-8 [3816835]

CPRG , 1981:

An early intervention secondary prevention study with oxprenolol following myocardial infarction. *Eur Heart J* 1981 Oct;2:389-93 [7037414]

Fuccella , 1968:

Fuccella LM. Report on the double blind trial with compound CIBA 39089 (trasicor) in myocardial infarction

Lombardo , 1979:

Lombardo M, Selvini A, Belli C, Motolese M, Pedroni P/pj beta-blocking therapy in 440 cases of acute myocardial infarction: a double-blind trial with oxprenolol./1 Proceedings of the Florence international meeting on myocardial infarction 1979;2:803-7

Wilcox , 1980:

Wilcox RG, Rowley JM, Hampton JR, Mitchell JR, Roland JM, Banks DC Randomised placebo-controlled trial comparing oxprenolol with disopyramide phosphate in immediate treatment of suspected myocardial infarction. *Lancet* 1980 Oct 11;2:765-9 [6107452]

Owensby , 1984:**Johansson , 1980:**

Johansson BW A comparative study of cardioselective beta-blockade and diazepam in patients with acute myocardial infarction and tachycardia. *Acta Med Scand* 1980;207:47-53 [7368972]

Evemy , 1978:

Evemy KL, Pentecost BL Intravenous and oral practolol in the acute stages of myocardial infarction. Eur J Cardiol 1978 Jul;7:391-8 [699938]

Macleod , 1980:

Macleod A, Fananapazir L, Kitchin AH, Murray A, Neilson J.M.: Prophylactic selective beta-blockade in acute myocardial infarction Abstracts of the VIII European Congress on Cardiology, Paris, 1980

Snow , 1980:**Thompson , 1979:**

Thompson PL, Jones AS, Noon D, Katavatis V A randomised trial of oral -blockade during myocardial infarctionC lack of effect on enzymatic indices of myocardial necrosis Aust NZ J Med 1979;9:757.

Waagstein , 1975:

Waagstein F, Hjalmarson C Double blind study of the effect of cardioselective - blockade on chest pain in acute myocardial infarction Acta Med Scand 1975;587(suppl):201-11.g

Balcon , 1966:

Balcon R, Jewitt DE, Davies JP, Oram S A controlled trial of propranolol in acute myocardial infarction. Lancet 1966;2:918-20 [4162365]

Barber , 1976:

Barber JM, Boyle DM, Chaturvedi NC, Singh N, Walsh MJ Practolol in acute myocardial infarction. Acta Med Scand Suppl 1976;587:213-9 [130058]

Hutton , 1979:

Hutton I, Vallance BD, Beattie JMp, imag A prospective randomized trial of propranolol in acute myocardial infarction.g Excerta Med Inst Congr Ser 1979;2:824-6.

Clausen , 1966:**Curtis , 1991:**

Curtis JL, Houghton JL, Patterson JH, Koch G, Bradley DA, Adams KF Jr Propranolol therapy alters estimation of potential cardiovascular risk derived from submaximal postinfarction exercise testing. Am Heart J 1991 Jun;121:1655-64 [2035380]

Dotremont , 1968:

Dotremont G, De Geest H The use of propranolol (inderal) in acute myocardial infarction. Acta Clin Belg 1968;23:163-76 [4890367]

Gupta , 1982:

Gupta RC, Sharma SK, Mittal SRtm Effect of oral propranolol on the extent of acute anterior myocardial infarction. Abstracts of the ninth world congress on cardiology, Moscow

Gupta , 1984:

Gupta RC, Butaney B, Narang NKtm Effect of iv propranolol on the extent of myocardial ischemic injury in patients of acute anterior myocardial infarction (AAMI) J Assoc Physicians India 1984;32:67-8.

Kahler , 1968:

Kahler RL, Brill SJ, Perkins WEm The role of propranolol in the management of acute myocardial infarction. In: Kattus AA, Ross G, Hall YE, eds. Cardiovascular adrenergic responses. Los Angeles, CA: California Press, 1968:213-22

Ledwich , 1968:

Ledwich JR A trial of propranolol in myocardial infarction. Can Med Assoc J 1968 May 25;98:988-94 [4174139]

Mueller , 1980:

Mueller HS, Ayres SM Propranolol decreases sympathetic nervous activity reflected by plasma catecholamines during evolution of myocardial infarction in man. J Clin Invest 1980 Feb;65:338-46 [7356683]

Multicentre , 1966:

Propranolol in acute myocardial infarction. A multicentre trial. Lancet 1966;2:1435-8 [4163441]

Nigam , 1983:

Nigam PD, Popli R, Charan Sxbitm Cardioprotection by -blockade in acute myocardian infarction Abstracts of the ninth world congress of cardiology, Moscow. 1983;2:616

Norris , 1968:

Norris RM, Clarke ED, Sammel NL, Smith WM, Williams B Protective effect of propranolol in threatened myocardial infarction. Lancet 1978;2:907-9 [81925]

Norris , 1978:

Norris RM, Clarke ED, Sammel NL, Smith WM, Williams B Protective effect of propranolol in threatened myocardial infarction. Lancet 1978;2:907-9 [81925]

Norris , 1984:

Norris RM, Barnaby PF, Brown MA, Geary GG, Clarke ED, Logan RL, Sharpe DN Prevention of ventricular fibrillation during acute myocardial infarction by intravenous propranolol. Lancet 1984 Oct 20;2:883-6 [6148617]

Peter , 1978:

Peter T, Norris RM, Clarke ED, Heng MK, Singh BN, Williams B, Howell DR, Ambler PK Reduction of enzyme levels by propranolol after acute myocardial infarction. Circulation 1978 Jun;57:1091-5 [639229]

Pitt , 1976:

Pitt B, Weiss JL, Schulze RA, Taylor DR, Kennedy HL, Caralis D. Reduction of myocardial infarct extension in man by propranolol Circulation 1976;29(suppl 2):53- 4 imag

Roberts , 1984:

Roberts R, Croft C, Gold HK, Hartwell TD, Jaffe AS, Muller JE, Mullin SM, Parker C, Passamani ER, Poole WK Effect of propranolol on myocardial-infarct size in a randomized blinded multicenter trial. N Engl J Med 1984 Jul 26;311:218-25 [6377070]

Singh , 1985:

Singh S, Saxena PC, Shukla SK. Intravenous propranolol in acute myocardial infarction Clinician 1985;49:384-91.

Sloman , 1967:

Sloman G, Stannard M Beta-adrenergic blockade and cardiac arrhythmias. Br Med J 1967;4:508-12 [6065983]

Lloyd , 1988:

Lloyd EA, Charles RG, Gordon GD, Adams CM, Mabin TA, Commerford PJ, Opie LH Beta-blockade by sotalol in early myocardial infarction decreases ventricular arrhythmias without increasing left ventricular volume. S Afr Med J 1988 Jul 2;74:5-10 [3291150]

Campbell , 1984:

Federman , 1984:

ICSG , 1984:

Reduction of infarct size with the early use of timolol in acute myocardial infarction. N Engl J Med 1984 Jan 5;310:9-15 [6358896]

Ranganathan , 1988:

Ranganathan N, Rautaharju PM, Jablonsky GG, Larochelle P, Lopez JF, Matangi MF, Morris AL, Nadeau CC, Sivaciyan V Prophylaxis of post-myocardial infarction dysrhythmias by long-term timolol therapy. Am Heart J 1988 Feb;115:340-50 [2449062]

Tonkin , 1981:

Tonkin AM, Joel SE, Reynolds JL, Aylward PE, Heddle WF, McRitchie RJ, West MJ, Chalmers JP beta-Blockade in acute myocardial infarction. Inability of relatively late administration to influence infarct size and arrhythmias. Med J Aust 1981 Aug 8;2:145-6 [7026997]

UKCSG , 1983:

McMurray , 1991:

McMurray J, Lang CC, MacLean D, Struthers AD, McDevitt DG Effects of xamoterol in acute myocardial infarction: blood pressure, heart rate, arrhythmias and early clinical course. Int J Cardiol 1991 Jun;31:295-303 [1679047]

Entry terms: xamoterol, Xamoterol, Corwin, ICI-118587, ICI 118587, ICI118587, Xamoterol Fumarate, Xamoterol Hemifumarate, Xamoterol Monohydrobromide, Xamoterol Monohydrochloride, Xamtol, Carwin, Xamoterol Maleate (2:1),

2 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.