

Clinical trials of antiplatelets drug for thrombosis prevention in all type of patients

TrialResults-center www.trialresultscenter.org

1 platelet aggregation inhibitors

Trial	Treatments	Patients	Trials design and methods
aspirin vs control			
Clagett , 1975 n=56/49	A1300 versus control	-	open
Zekert VI , 1982 n=50/50	A1500 versus control	-	open
dipyridamol + aspirin vs control			
Parodi I , 1973 n=40/22	Dip,A1000+Dip versus control	-	open
Parodi II , 1973 n=91/35	A1500,Dip,A+Dip versus control	-	open
Australian I , 1975 n=75/75	A1000+Dip versus control	-	open
Australian II , 1976 n=85/75	A1000+Dip versus control	-	open
Toulouse I , 1979 n=38/66	A990+Dip versus control	-	open
Zekert-III , 1977 n=135/46	A1500,A1300+Dip,A1000+Dip versus control	-	open
Harjola DVT , 1982 n=300/100	A1500,Dip,A+Dip versus control	-	open
Weiss , 1977 n=30/36	A990+Dip versus control	-	open
sp vs control			

continued...

Trial	Treatments	Patients	Trials design and methods
Veth , 1985 n=120/118	Sp+Hep v Hep versus control	-	open
Aspirin vs no treatment			
Pasteयर , 1977 n=20/20 follow-up: 2 weeks	Aspirin 1000mg daily + Hep versus control (Hep alone)	Elective orthopaedic surgery	Parallel groups
Rocha , 1986 n=60/30 follow-up: 1 weeks	Aspirin 250mg or 1000mg daily versus control (combination of heparin plus dihydroergotamine)	total hip replacement	Parallel groups open
aspirin + dipyridamol vs no treatment			
Lyon-I , 1975 n=20/20 follow-up: 2 weeks	Aspirin 1500 mg daily + Dipyridamole versus control	Elective orthopaedic surgery	
aspirin vs placebo			
MRC , 1972 n=153/150	A600 versus placebo	general surgery	double-blind
Loew DVT , 1974 n=702/679	A600 versus Placebo	-	double-blind
Erfurt-A , 1979 n=357/357	A1500 versus Placebo	-	double-blind
Zekert V , 1980 n=50/49	A1500+Hep??? versus Placebo	-	double-blind
Vinazzar I , 1980 n=402/404	A1500+Hep v Hep versus Placebo	-	double-blind
Vinazzar II , 1977 n=62/62	A1000+Hepv Hep versus Placebo	-	double-blind
PEP hip-fracture , 2000 n=6679/6677 follow-up: 35 days	aspirin 160mg/d started preoperatively and continued for 35 days versus placebo	patients undergoing surgery for hip fracture	Parallel groups Double blind Australia, New Zealand, South Africa,
PEP elective arthroplasty , 2000 n=2047/2041 follow-up: 35 days	aspirin 160mg/d started preoperatively and continued for 35 daysA versus placebo	Patients undergoing elective hip or knee arthroplasty	Parallel groups Double blind New Zealand
Stockholm-I , 1975 n=26/25 follow-up: 2 weeks	Aspirin 2000mg daily versus placebo	elective surgery of the hip	double blind

continued...

Trial	Treatments	Patients	Trials design and methods
Harris-I , 1977 n=58/59 follow-up: 1 weeks	Aspirin 1200mg daily versus placebo	patients over 40 years of age, who had undergone total hip replacement	Parallel groups double-blind
McKenna-I , 1980 n=24/12 follow-up: 2 weeks	Aspirin 975mg or 3900mg daily versus placebo	total knee replacement	Parallel groups double-blind
Sautter , 1983 n=68/77 follow-up: 3 weeks	Aspirin 900mg daily + sulfipyrazone versus placebo	patient with total hip replacement	Parallel groups
McBride , 1983 n=21/22 follow-up: 1 weeks	A1800+Dipyridamole versus placebo	Elective orthopaedic surgery	
aspirin + dipyridamol vs placebo			
Hamburg , 1976 n=21/11 follow-up: 3 weeks	A+Dipyridamole,A1000 versus placebo	Elective orthopaedic surgery	
dipyridamol + aspirin vs placebo			
Encke IA , 1976 n=21/9	A990,A+Dip versus Placebo	-	double-blind
Encke IB , 1976 n=62/34	A1500,A990+Dip versus Placebo	-	double-blind
hydroxychloroquine vs placebo			
Carter IA , 1971 n=284/281	Hydroxy versus placebo	-	double-blind
Carter IB , 1971 n=26/26	Hydroxy versus placebo	-	double-blind
Carter II , 1974 n=107/97	Hydroxy versus Placebo	-	double-blind
New York , 1977 n=46/44	Hydroxy versus placebo	-	double-blind
Vermont , 1975 n=50/58	Hydroxy versus placebo	-	double-blind
Massachusetts-II , 1976 n=51/51 follow-up: 3 weeks	Hydroxychloroquine 600mg daily versus placebo	fractures or orthopaedic operations involving the skeleton between the knee and the pelvis	
Cooke , 1977 n=25/25 follow-up: 2 weeks	Hydroxychloroquine versus placebo	elective surgery on the hip	Parallel groups double-blind

continued...

Trial	Treatments	Patients	Trials design and methods
Hume-A , 1977 n=20/20 follow-up: 2 weeks	Hydroxychloroquine versus placebo	total hip replacement	
Stockholm-II , 1981 n=18/17 follow-up: 2 weeks	Hydroxychloroquine versus placebo	total hip replacement	
sp vs placebo			
Athens , 1981 n=48/48	Sp versus placebo	-	double-blind
Suloctidil vs placebo			
Turpie , 1985 n=68/68	Suloctidil versus Placebo	-	double-blind
ticlopidine vs placebo			
Lasierra , 1982 n=40/40	Ticlopidine versus placebo	-	double-blind
Walker , 1974 <i>unpublished</i> n=31/33	ticlopidine versus placebo	-	double-blind
McKenna-II , 1983 n=29/29 follow-up: 2 weeks	Ticlopidine versus placebo	Elective orthopaedic surgery	
Lyon-II , 3000 n=20/20 follow-up: 3 weeks	Ticlopidine versus placebo	Elective orthopaedic surgery	
Gardecki , 3000 n=48/46 follow-up: 2 weeks	Ticlopidine versus placebo	Elective orthopaedic surgery	

References

Clagett, 1975:

Clagett GP, Schneider P, Rosoff CB, Salzman EW The influence of aspirin on postoperative platelet kinetics and venous thrombosis. *Surgery* 1975;77:61-74 [[1109518](#)]

Zekert VI, 1982:

Zekert F, Schemper M, Neumann K Acetylsalicylic acid in combination with dihydroergotamine for preventing thromboembolism. *Haemostasis* 1982;11:149-53 [[7095604](#)]

Parodi I, 1973:

Parodi JC, Grandi A, Font E, Rotondaro D, Iorio J, Manrique J. El dipiridamol y el acido acetilsalicilico en la profilaxis de las trombosis venosas postoperatorias de los miembros inferiores *Dia Med* 1973;45:92-3.

Parodi II, 1973:

Parodi JC, Grandi A, Font E, Rotondaro D, Iorio J, Manrique J. El dipiridamol y el acido acetilsalicilico en la profilaxis de las trombosis venosas postoperatorias de los miembros inferiores *Dia Med* 1973;45:92-3.

Australian I, 1975:

O'Sullivan EF, Renney JT. Antiplatelet drugs in the prevention of postoperative deep vein thrombosis In: Proceedings of III congress of International Society for Thrombosis and Haemostasis (Washington). 1972:438.

Australian II, 1976:

Renney JT, O'Sullivan EF, Burke PF Prevention of postoperative deep vein thrombosis with dipyridamole and aspirin. Br Med J 1976;1:992-4 [773495]

Toulouse I, 1979:

Plante J, Boneu B, Vaysse C, Barret A, Gouzi M, Bierme R Dipyridamole-aspirin versus low doses of heparin in the prophylaxis of deep venous thrombosis in abdominal surgery. Thromb Res 1979;14:399-403 [442014]

Zekert-III, 1977:

Zekert F. Prophylaxe von phlebothrombosen und lungenembolien mit aggregationshemmern In: Zekert F, ed. Thrombosen, Embolien und Aggregationshemmer in der Chirurgie. Stuttgart: Schattauer, 1975:75-88.

Harjola DVT, 1982:

Harjola P, Meurala H, Frick AMH. Prevention of deep venous thrombosis and thrombo-embolism by dipyridamole and acetylsalicylic acid after revascularization of arterial surgery. J Cardotzasc Surg 1980;21:451-4.

Weiss, 1977:

Weiss V, Jekiel M, Ritschard J, Bouvier CA. Prevention of the thrombo-embolic post-operative par les anti-agregants en chirurgie gynécologique Medecine et Hygiene (Geneve) 1977;35:943-4.

Veth, 1985:

Veth G, Meuwissen OJ, van Houwelingen HC, Sixma JJ Prevention of postoperative deep vein thrombosis by a combination of subcutaneous heparin with subcutaneous dihydroergotamine or oral sulphinpyrazone. Thromb Haemost 1985;54:570-3 [4089792]

Pasteyer, 1977:

Flicoteaux H, Kher A, Jean N, Blery M, Judet T, Honnart F, et al. Comparison of low dose heparin and low dose heparin combined with aspirin in prevention of deep vein thrombosis after total hip replacement. Pathol Biol (Paris) 1977;25(suppl):55-8.

Rocha, 1986:

Alfaro MJ, Pramo JA, Rocha E Prophylaxis of thromboembolic disease and platelet-related changes following total hip replacement: a comparative study of aspirin and heparin-dihydroergotamine. Thromb Haemost 1986;56:53-6 [3535158]

Lyon-I, 1975:

Dechavanne M, Ville D, Viala JJ, Kher A, Faivre J, Pousset MB, Dejour H Controlled trial of platelet anti-aggregating agents and subcutaneous heparin in prevention of postoperative deep vein thrombosis in high risk patients. Haemostasis 1975;4:94-100 [1205340]

MRC, 1972:

Effect of aspirin on postoperative venous thrombosis. Report of the Steering Committee of a trial sponsored by the Medical Research Council. Lancet 1972;2:441-5 [4115340]

Loew DVT, 1974:

Loew D, Wellmer HK, Baer U, Merguet H, Rumpf P, Petersen H, et al. Postoperative thromboembolie-prophylaxe mit acetylsalicylsäure. Dtsch Med Wschr 1974;99:565-72.

Erfurt-A, 1979:

Schreiber U, Hartung B. Postoperative thromboembolieprophylaxe bei patienten mit allgemein-chirurgischen operationen Chirurg 1979;104: 1214-20.

Zekert V, 1980:

Zekert F, Hofbauer F, Mhlbacher F [Prophylaxis of thromboembolism in abdominal surgery. Comparison of low dose heparin, acetylsalicylic acid and their combination (author's transl)] MMW Munch Med Wochenschr 1980;122:1495-8 [6780841]

Vinazzer I, 1980:

Vinazzer H, Loew D, Simma W, Brcke P Prophylaxis of postoperative thromboembolism by low dose heparin and by acetylsalicylic acid given simultaneously. A double blind study. Thromb Res 1980;17:177-84 [7376128]

Vinazzer II, 1977:

Loew D, Brcke P, Simma W, Vinazzer H, Dienstl E, Boehme K Acetylsalicylic acid, low dose heparin, and a combination of both substances in the prevention of postoperative thromboembolism. A double blind study. *Thromb Res* 1977;11:81-6 [[329468](#)]

PEP hip-fracture, 2000:

Prevention of pulmonary embolism and deep vein thrombosis with low dose aspirin: Pulmonary Embolism Prevention (PEP) trial. *Lancet* 2000 Apr 15;355:1295-302 [[10776741](#)]

PEP elective arthroplasty, 2000:

Prevention of pulmonary embolism and deep vein thrombosis with low dose aspirin: Pulmonary Embolism Prevention (PEP) trial. *Lancet* 2000 Apr 15;355:1295-302 [[10776741](#)]

Stockholm-I, 1975:

Soreff J, Johnsson H, Diener L, Gransson L Acetylsalicylic acid in a trial to diminish thromboembolic complications after elective hip surgery. *Acta Orthop Scand* 1975;46:246-55 [[1096521](#)]

Harris-I, 1977:

Harris WH, Salzman EW, Athanasoulis CA, Waltman AC, DeSanctis RW Aspirin prophylaxis of venous thromboembolism after total hip replacement. *N Engl J Med* 1977;297:1246-9 [[335247](#)]

McKenna-I, 1980:

McKenna R, Galante J, Bachmann F, Wallace DL, Kaushal PS, Meredith P Prevention of venous thromboembolism after total knee replacement by high-dose aspirin or intermittent calf and thigh compression. *Br Med J* 1980;280:514-7 [[6989432](#)]

Sautter, 1983:

Sautter RD, Koch EL, Myers WO, Ray JR 3rd, Mazza JJ, Larson DE, Chen HM, Milbauer JP, Treuhaft PS, Plotka ED Aspirin-sulfinpyrazone in prophylaxis of deep venous thrombosis in total hip replacement. *JAMA* 1983;250:2649-54 [[6355542](#)]

McBride, 1983:

McBride JA, Turpie AG, Kraus V, Hiltz C. Failure of aspirin and dipyridamole to influence the incidence of leg scan detected venous thrombosis after elective hip surgery *Thrombosis et Diathesis Haemorrhagica* 1975;34:abstract 204.

Hamburg, 1976:

Boehringer Ingelheim DVT nach Hirntumoroperationen Boehringer Ingelheim, 1976. (Internal report.)

Encke IA, 1976:

Encke A, Stock C, Dumke HO [Double-blind study for the prevention of postoperative thrombosis] *Chirurg* 1976;47:670-3 [[1001131](#)]

Schreiber U, Hartung B [Prevention of postoperative thromboembolism with micristin in general surgical patients (author's transl)] *Zentralbl Chir* 1979;104:1214-20 [[543338](#)]

Encke IB, 1976:

Encke A, Stock C, Dumke HO [Double-blind study for the prevention of postoperative thrombosis] *Chirurg* 1976;47:670-3 [[1001131](#)]

Carter IA, 1971:

Carter AE, Eban R, Perrett RD Prevention of postoperative deep venous thrombosis and pulmonary embolism. *Br Med J* 1971;1:312-4 [[5100262](#)]

Carter IB, 1971:

Carter AE, Eban R, Perrett RD Prevention of postoperative deep venous thrombosis and pulmonary embolism. *Br Med J* 1971;1:312-4 [[5100262](#)]

Carter II, 1974:

Carter AE, Eban R Prevention of postoperative deep venous thrombosis in legs by orally administered hydroxychloroquine sulphate. *Br Med J* 1974;3:94-5 [[4853767](#)]

New York, 1977:

Wu TK, Tsapogas MJ, Jordan FR Prophylaxis of deep venous thrombosis by hydroxychloroquine sulfate and heparin. *Surg Gynecol Obstet* 1977;145:714-8 [[333643](#)]

Vermont, 1975:

Pilcher DB Hydroxychloroquine sulfate in prevention of thromboembolic phenomena in surgical patients. *Am Surg* 1975;41:761-6 [[1203006](#)]

Massachusetts-II, 1976:

Chrisman OD, Snook GA, Wilson TC, Short JY Prevention of venous thromboembolism by administration of hydroxychloroquine. A preliminary report. *J Bone Joint Surg Am* 1976;58:918-20 [[789380](#)]

Cooke, 1977:

Cooke ED, Dawson MH, Ibbotson RM, Bowcock SA, Ainsworth ME, Pilcher MF Failure of orally administered hydroxychloroquine sulphate to prevent venous thromboembolism following elective hip operations. *J Bone Joint Surg Am* 1977;59:496-500 [325009]

Hume-A, 1977:

Hume M, Bierbaum B, Kuriakose TX, Surprenant, J Prevention of postoperative thrombosis by aspirin. *Am J Surg* 1977;133:420-2 [322520]

Hume M, Donaldson WR, Suprenant J Sex, aspirin, and venous thrombosis. *Orthop Clin North Am* 1978;9:761-7 [358040]

Stockholm-II, 1981:

Johansson E, Forsberg K, Johnsson H Clinical and experimental evaluation of the thromboprophylactic effect of hydroxychloroquine sulfate after total hip replacement. *Haemostasis* 1981;10:89-96 [7007179]

Athens, 1981:

Arapakis G, Trovas A, Orphanoudalus Li, Vassilikus P. sulphinpyrazone and prevention of postoperative deep venous thrombosis *Thromb Haemost* 1981;46:401.

Turpie, 1985:

Turpie AG, Gent M, Doyle DJ, Saerens E, de Boer AC, Talbot C, McNamee J, Hirsh J An evaluation of suloctidil in the prevention of deep vein thrombosis in neurosurgical patients. *Thromb Res* 1985;39:173-81 [2992116]

Lasierra, 1982:

Lasierra J, Arevalo A, Vilades E, Hebrero J, Espinosa H, Yanguela J, et al. Effect of ticlopidin on the risk of thromboembolic disease in the pistoperation. *Haemostasis* 1982;12:104.

Walker, 1974:

Walker MG. Assessment of effect of ticlopidine on incidence of deep vein thrombosis in patients undergoing major surgery Guildford: Sanofi Winthrop, 1983. (Sanofi internal report 001.6.245.)

McKenna-II, 1983:

McKenna R, Galante J, Molony B, Kamm B. Failure of ticlopidine hydrochloride to prevent DVT in orthopedic patients *Blood* 1983;62(suppl 1):304A

Lyon-II, 3000:**Gardecki, 3000:**

Entry terms: ticlopidine, Ticlopidine, Ticlopidine Hydrochloride, Ticlodix, Ticlodone, 53-32C, 53 32C, 5332C, Ticlid,

2 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.