

# Clinical trials of antithrombotics for thrombosis prevention in general surgery

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 low molecular weight heparin

Trial	Treatments	Patients	Trials design and methods
<b>enoxaparin vs no treatment</b>			
Ho [43] n=134/169	Enoxaparin 4000 anti-Xa units versus No treatment	-	Open
<b>nadroparin vs no treatment</b>			
Marassi [41] n=31/33	Nadroparin 2850 anti-Xa units versus No treatment	-	Open
<b>dalteparin vs placebo</b>			
Ockelford , 1989 n=102/95	Dalteparin 2500 anti-Xa units versus Placebo	general surgery	Blind
<b>fluxum vs placebo</b>			
Valle , 1988 n=50/50	Parnaparin 3200 anti-Xa units versus Placebo	general surgery	Blind
<b>nadroparin vs placebo</b>			
Balas [40] n=94/95	Nadroparin 2850 anti-Xa units versus Placebo	-	Blind
Pezzuoli , 1989 n=2247/2251 follow-up:	Nadroparin 2850 anti-Xa units versus Placebo	general surgery	Blind
<b>tinzaparin vs placebo</b>			
Bergqvist [42] n=39/41 follow-up:	Tinzaparin 3500 anti-Xa units versus Placebo	-	Parallel groups Blind
<b>antixarin vs unfractionated heparin</b>			
Limmer , 1994 n=103/100	Antixarin 2500 anti Xa units versus UFH 15 000 units	General surgery	Open
<b>ardeparin vs unfractionated heparin</b>			
Godwin , 1993 n=595/309	Ardeparin 90 and 50 units/kg b.i.d versus UFH 10 000 units	Abdominopelvic surgery	Blind
<b>certoparin vs unfractionated heparin</b>			

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
Schmitz-Huebner , 1984 n=84/42 follow-up: 1 month	Certoparin (dose 1 and dose 2) b.i.d. versus UFH 10 000 units	Abdominal surgery	Blind
Sasahara , 1986 n=137/132 follow-up: 7 days	Certoparin 3000 + DHE versus UFH 10 000 units +DHE	Abdominal surgery	Blind
Voigt , 1986 n=103/97 follow-up: 10 days	Certoparin 3000 + DHE versus UFH 10 000 units	Abdominal surgery	Blind
Welzel , 1988 n=98/103 follow-up: 7 days	Certoparin 2500 + DHE versus UFH 10 000 units+DHE	Abdominal surgery	Open
Kakkar , 1989 n=88/91 follow-up:	Certoparin 3000 + DHE versus UFH 10 000 units+DHE	Abdominal surgery	Blind
Adolf , 1989 n=205/205 follow-up: 1 month	Certoparin 3000 versus UFH 15 000 units	Abdominal surgery	Blind
Heilmann , 1989 n=150/150 follow-up: 10 days	Certoparin 3000 versus UFH 15 000 units	Gynaecological surgery	Blind
Baumgartner , 1989 n=99/102 follow-up: 10 days	Certoparin 3000 + DHE versus UFH 5 000 units+DHE	Abdominal surgery	Blind
Hoffmann and Largiade , 1990  n=464/452 follow-up:	Certoparin 3000 + DHE versus UFH 10 000 units	Abdominal surgery	NA
Kopenhagen , 1990 n=51/53	Certoparin 3000 anti Xa units versus UFH 15 000 units	Abdominal surgery	Blind
Schielke , 1991 n=47/51	Certoparin 3000 anti Xa units + DHE versus UFH 10 000 units + DHE	Abdominal surgery	Open
Kopenhagen , 1992 n=336/337	Certoparin 3000 anti Xa units versus UFH 15 000 units	Abdominal surgery	Blind
Hoffmann and Largiader , 1992 n=298/296	Certoparin 3000 anti Xa units versus UFH 10 000 units	Abdominothoracic surgery	Blind
Heilmann , 1997 n=179/179	Certoparin 3000 anti Xa units versus UFH 15 000 units	Gynaecological and breast surgery	Blind

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
Haas , 1999 n=11542/11536	Certoparin 3000 anti Xa units versus UFH 15 000 units	General surgery	Blind
<b>dalteparin vs unfractionated heparin</b>			
Briel , 1988 n=95/98 follow-up:	Dalteparin 5000 versus UFH 10 000 units+DHE	Gynaecological surgery	NA
Bergqvist , 1986 n=215/217 follow-up: 1 month	Dalteparin 5000 versus UFH 10 000 units	Abdominal surgery	Blind
Onarheim , 1986 n=25/27 follow-up: 1 month	Dalteparin 5000 versus UFH 10 000 units	Abdominal surgery	Blind
Koller , 1986 n=23/20 follow-up: 30 days	Dalteparin 7500 versus UFH 10 000 units	Abdominal surgery	Blind
Koller , 1986 n=75/75 follow-up: 30 days	Dalteparin 2500 versus UFH 10 000 units	Abdominal surgery	Blind
Fricker , 1988 n=40/40 follow-up: 1-2 months	Dalteparin 5000 versus UFH 15 000 units	Abdominopelvic surgery	Open
Bergqvist , 1988 n=505/497 follow-up: 1 month	Dalteparin 5000 versus UFH 10 000 units	Abdominal surgery	Blind
Caen , 1988 n=195/190 follow-up: 1 month	Dalteparin 2500 versus UFH 10 000 units	Abdominal surgery	Blind
Borstad , 1988 n=105/110 follow-up:	Dalteparin 5000 versus UFH 10 000 units	Gynaecological surgery	Blind
Creperio , 1990 n=20/20 follow-up:	Dalteparin 2500 versus UFH 10 000 units	General surgery	Blind
Hartl , 1990 n=126/124 follow-up: >7 days	Dalteparin 2500 versus UFH 10 000 units	Abdominal surgery	Blind
Borstad , 1992 n=77/75	Dalteparin 2500 anti Xa units versus UFH 10 000 units	Gynaecological surgery	Blind
Kakkar , 1993 n=1894/1915	Dalteparin 2500 anti Xa units versus UFH 10 000 units	Abdominal surgery	Blind
<b>enoxaparin vs unfractionated heparin</b>			

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
Samama 2 , 1988 n=127/123 follow-up: 7 days	Enoxaparin 4000 versus UFH 15 000 units	General surgery	Open
Samama 1 , 1988 n=168/167 follow-up: 7 days	Enoxaparin 2000 versus UFH 15 000 units	General surgery	Open
Samama 3 , 1988 n=160/147 follow-up: 7 days	Enoxaparin 6000 versus UFH 15 000 units	General surgery	Open
Kaaja , 1992 n=37/31	Enoxaparin 2000 anti Xa units versus UFH 10 000 units	Gynaecological surgery	Blind
Gazzaniga (ISG) , 1993 n=561/561	Enoxaparin 2000 anti Xa units versus UFH 10 000 units	General and vascular surgery	Open
Nurmohamed , 1995 n=737/734	Enoxaparin 2000 anti Xa units versus UFH 15 000 units	General surgery	Blind
McLeod (Canadian) , 1995 n=674/675	Enoxaparin 4000 anti Xa units versus UFH 15 000 units	Colorectal surgery	Blind
Gonzalez , 1996 n=84/82	Bemiparin 2500 anti Xa units versus UFH 10 000 units	Abdominal surgery	Blind
ENOXACAN , 1997 n=555/560	Enoxaparin 4000 anti Xa units versus UFH 15 000 units	Abdominopelvic surgery	Blind
<b>nadroparin vs unfractionated heparin</b>			
Kakkar and Murray , 1985 n=200/200 follow-up: 10 days	Nadroparin 2850 versus UFH 10 000 units	General surgery	Blind
EFS , 1988 n=968/941 follow-up: 1 month	Nadroparin 2850 versus UFH 15 000 units	Abdominal surgery	Open
Dahan , 1989 n=46/41 follow-up:	Nadroparin 2850 versus UFH 15 000 units	Thoracic surgery	Open
Barbui , 1990 n=171/173	Nadroparin 2850 anti Xa units versus UFH 10 000 units	General surgery	Open
Eurin , 1994 n=241/239	Nadroparin 2850 anti Xa units versus UFH 15 000 units	Abdominopelvic surgery	Open
<b>parnaparin vs unfractionated heparin</b>			

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
<b>Catania , 1988</b> n=88/85 follow-up:	Parnaparin 3200 versus UFH 15 000 units	Abdominal surgery	Open
<b>Salcuni , 1988</b> n=73/68 follow-up:	Parnaparin 3200 versus UFH 15 000 units	Abdominal surgery	Open
<b>Verardi , 1989</b> n=44/44 follow-up:	Parnaparin 6400 versus UFH 10 000 units	Abdominal/urological surgery	NA
<b>Garcea , 1992</b> n=45/45	Parnaparin 3200 anti Xa units versus UFH 15 000 units	Abdominal surgery	Open
<b>reviparin vs unfractionated heparin</b>			
<b>Kakkar , 1993</b> n=672/679	Reviparin 1750 anti Xa units versus UFH 10 000 units	General and gynaecological surgery	Blind
<b>SSHA vs unfractionated heparin</b>			
<b>Torngren , 1984</b> n=309/162 follow-up: Discharge	SSHA 50 mg and 37.5 mg versus UFH 10 000 units	General surgery	Blind
<b>tinzaparin vs unfractionated heparin</b>			
<b>Leizorovicz , 1991</b> n=861/429	Tinzaparin 2500 and 3500 anti Xa units versus UFH 10 000 units	Abdominothoracic and gynaecological surgery	Blind

## References

**Ho [43], :**

Ho YH, Seow-Choen F, Leong A, Eu KW, Nyam D, Teoh MK Randomized, controlled trial of low molecular weight heparin vs. no deep vein thrombosis prophylaxis for major colon and rectal surgery in Asian patients. *Dis Colon Rectum* 1999;42:196-202; discussion 202-3 [10211496]

**Marassi [41], :**

Marassi A, Balzano G, Mari G, D'Angelo SV, Della Valle P, Di Carlo V, D'Angelo A Prevention of postoperative deep vein thrombosis in cancer patients. A randomized trial with low molecular weight heparin (CY 216). *Int Surg* 1993;78:166-70 [8394842]

**Ockelford , 1989:**

Ockelford PA, Patterson J, Johns AS A double-blind randomized placebo controlled trial of thromboprophylaxis in major elective general surgery using once daily injections of a low molecular weight heparin fragment (Fragmin). *Thromb Haemost* 1989;62:1046-9 [2559484]

**Valle , 1988:**

Valle I, Sola G, Origone A Controlled clinical study of the efficacy of a new low molecular weight heparin administered subcutaneously to prevent post-operative deep venous thrombosis. *Curr Med Res Opin* 1988;11:80-6 [2851413]

**Balas [40], :**

BalasPEet al. Efcacy and safety of nadroparin (Fraxiparine) versus placebo in the prophylactic treatment of deep vein thrombosis in patients with high thrombo-embolic risk undergoing general surgery.01 *Thromb Res* 1992; 65(Suppl 1): S113 (Abstract)ag

**Pezzuoli, 1989:**

Pezzuoli G, Neri Seneri GG, Settembrini P, Coggi G, Olivari N, Buzzetti G, Chierichetti S, Scotti A, Scatigna M, Carnovali M Prophylaxis of fatal pulmonary embolism in general surgery using low-molecular weight heparin Cy 216: a multicentre, double-blind, randomized, controlled, clinical trial versus placebo (STEP). STEP-Study Group. *Int Surg* 1989 Oct-Dec;74:205-10 [2560470]

Pezzuoli G, Neri Seneri GG, Settembrini PG, Coggi G, Olivari N, Negri G, Codemo R, Galli G, Roveri S Effectiveness and safety of the low-molecular-weight heparin CY 216 in the prevention of fatal pulmonary embolism and thromboembolic death in general surgery. A multicentre, double-blind, randomized, controlled clinical trial versus placebo (STEP). STEP Study Group. *Haemostasis* 1990;20 Suppl 1:193-204 [1964662]

**Bergqvist [42], :**

Bergqvist D, Flordal PA, Friberg B, Frisell J, Hedberg M, Ljungstrm KG, Mtzsch T, Trngren S Thromboprophylaxis with a low molecular weight heparin (tinzaparin) in emergency abdominal surgery. A double-blind multicenter trial. *Vasa* 1996;25:156-60 [8659218]

**Limmer, 1994:**

**Godwin, 1993:**

**Schmitz-Huebner, 1984:**

Schmitz-Huebner U, Bnte H, Freise G, Reers B, Rskemeyer C, Scherer R, Schulte H, van de Loo J Clinical efficacy of low molecular weight heparin in postoperative thrombosis prophylaxis. *Klin Wochenschr* 1984;62:349-53 [6374278]

**Sasahara, 1986:**

Sasahara AA, Koppenhagen K, Hring R, Welzel D, Wolf H Low molecular weight heparin plus dihydroergotamine for prophylaxis of postoperative deep vein thrombosis. *Br J Surg* 1986;73:697-700 [3530367]

**Voigt, 1986:**

Voigt J, Hamelmann H, Hedderich J, Seifert J, Buchhammer T, Khler A [Effectiveness and side effects of low-molecular weight heparin-dihydroergotamine in preventing thromboembolism in abdominal surgery] *Zentralbl Chir* 1986;111:1269-305 [3544605]

**Welzel, 1988:**

Welzel D, Wolf H, Koppenhagen K Antithrombotic defense during the postoperative period. Clinical documentation of low molecular weight heparin. *Arzneimittelforschung* 1988;38:120-3 [2835055]

**Kakkar, 1989:**

Kakkar VV, Stringer MD, Hedges AR, Parker CJ, Welzel D, Ward VP, Sanderson RM, Cooper D, Kakkar S Fixed combinations of low-molecular weight or unfractionated heparin plus dihydroergotamine in the prevention of postoperative deep vein thrombosis. *Am J Surg* 1989;157:413-8 [2539025]

**Adolf, 1989:**

Adolf J, Knee H, Roder JD, van de Flierdt E, Siewert JR [Thromboembolism prophylaxis with low molecular weight heparin in abdominal surgery] *Dtsch Med Wochenschr* 1989;114:48-53 [2535983]

**Heilmann, 1989:**

Heilmann L, Kruck M, Schindler AE [Prevention of thrombosis in gynecology: double-blind comparison of low molecular weight heparin and unfractionated heparin] *Geburtshilfe Frauenheilkd* 1989;49:803-7 [2553528]

**Baumgartner, 1989:**

Baumgartner A, Jacot N, Moser G, Krhenbhl B Prevention of postoperative deep vein thrombosis by one daily injection of low molecular weight heparin and dihydroergotamine. *Vasa* 1989;18:152-6 [2545054]

**Hoffmann and Largiade, 1990:**

**Koppenhagen, 1990:**

**Schielke, 1991:**

**Koppenhagen, 1992:**

**Hoffmann and Largiader, 1992:**

**Heilmann, 1997:**

**Haas, 1999:**

**Briel, 1988:**

Briel RC, Doller P, Hermann CP [Prevention of thromboembolism in hysterectomies with low molecular weight heparin Fragmin] *Geburtshilfe Frauenheilkd* 1988;48:160-4 [2836259]

**Bergqvist, 1986:**

Bergqvist D, Burmark US, Frisell J, Hallbk T, Lindblad B, Risberg B, Trngren S, Wallin G Low molecular weight heparin once daily compared with conventional low-dose heparin twice daily. A prospective double-blind multicentre trial on prevention of postoperative thrombosis. *Br J Surg* 1986;73:204-8 [3512031]

**Onarheim, 1986:**

Onarheim H, Lund T, Heimdal A, Arnesj B A low molecular weight heparin (KABI 2165) for prophylaxis of postoperative deep venous thrombosis. *Acta Chir Scand* 1986;152:593-6 [3544625]

**Koller, 1986:**

Koller M, Schoch U, Buchmann P, Largiadri F, von Felten A, Frick PG Low molecular weight heparin (KABI 2165) as thromboprophylaxis in elective visceral surgery. A randomized, double-blind study versus unfractionated heparin. *Thromb Haemost* 1986;56:243-6 [3551180]

**Koller, 1986:**

Koller M, Schoch U, Buchmann P, Largiadri F, von Felten A, Frick PG Low molecular weight heparin (KABI 2165) as thromboprophylaxis in elective visceral surgery. A randomized, double-blind study versus unfractionated heparin. *Thromb Haemost* 1986;56:243-6 [3551180]

**Fricker, 1988:**

Fricker JP, Vergnes Y, Schach R, Heitz A, Eber M, Grunebaum L, Wiesel ML, Kher A, Barbier P, Cazenave JP Low dose heparin versus low molecular weight heparin (Kabi 2165, Fragmin) in the prophylaxis of thromboembolic complications of abdominal oncological surgery. *Eur J Clin Invest* 1988;18:561-7 [2852111]

**Bergqvist, 1988:**

Bergqvist D, Mtsch T, Burmark US, Frisell J, Guilbaud O, Hallbk T, Horn A, Lindhagen A, Ljungnr H, Ljungstrm KG Low molecular weight heparin given the evening before surgery compared with conventional low-dose heparin in prevention of thrombosis. *Br J Surg* 1988;75:888-91 [2846113]

**Caen, 1988:**

Caen JP A randomized double-blind study between a low molecular weight heparin Kabi 2165 and standard heparin in the prevention of deep vein thrombosis in general surgery. A French multicenter trial. *Thromb Haemost* 1988;59:216-20 [2838923]

**Borstad, 1988:**

Borstad E, Urdal K, Handeland G, Abildgaard U Comparison of low molecular weight heparin vs. unfractionated heparin in gynecological surgery. *Acta Obstet Gynecol Scand* 1988;67:99-103 [2845707]

**Creperio, 1990:**

Creperio G, Marabini M, Ciocia G, Bergonzi M, Fincato M [Evaluation of the effectiveness and safety of Fragmin (Kabi 2165) versus calcium heparin in the prevention of deep venous thrombosis in general surgery] *Minerva Chir* 1990;45:1101-6 [2177861]

**Hartl, 1990:**

Hartl P, Brcke P, Dienstl E, Vinazzer H Prophylaxis of thromboembolism in general surgery: comparison between standard heparin and Fragmin. *Thromb Res* 1990;57:577-84 [2158151]

**Borstad, 1992:**

**Kakkar, 1993:**

**Samama 2, 1988:**

Samama M, Bernard P, Bonnardot JP, Combe-Tamzali S, Lanson Y, Tissot E Low molecular weight heparin compared with unfractionated heparin in prevention of postoperative thrombosis. *Br J Surg* 1988;75:128-31 [2832030]

Samama MM Prevention of postoperative thromboembolism in general surgery with enoxaparin. *Eur J Surg Suppl* 1994;:31-3 [7519086]

**Samama 1, 1988:**

Samama M, Bernard P, Bonnardot JP, Combe-Tamzali S, Lanson Y, Tissot E Low molecular weight heparin compared with unfractionated heparin in prevention of postoperative thrombosis. *Br J Surg* 1988;75:128-31 [2832030]

Samama MM Prevention of postoperative thromboembolism in general surgery with enoxaparin. *Eur J Surg Suppl* 1994;:31-3 [7519086]

Samama M, Combe S Prevention of thromboembolic disease in general surgery with enoxaparin (Clexane). *Acta Chir Scand Suppl* 1990;556:91-5 [1963022]

**Samama 3, 1988:**

Samama M, Bernard P, Bonnardot JP, Combe-Tamzali S, Lanson Y, Tissot E Low molecular weight heparin compared with unfractionated heparin in prevention of postoperative thrombosis. *Br J Surg* 1988;75:128-31 [2832030]

Samama MM Prevention of postoperative thromboembolism in general surgery with enoxaparin. *Eur J Surg Suppl* 1994;:31-3 [7519086]

**Kaaja, 1992:**

**Gazzaniga (ISG), 1993:**

Creperio G, Marabini M, Ciocia G, Bergonzi M, Fincato M [Evaluation of the effectiveness and safety of Fragmin (Kabi 2165) versus calcium heparin in the prevention of deep venous thrombosis in general surgery] *Minerva Chir* 1990;45:1101-6 [2177861]

Creperio G, Marabini M, Ciocia G, Bergonzi M, Fincato M [Evaluation of the effectiveness and safety of Fragmin (Kabi 2165) versus calcium heparin in the prevention of deep venous thrombosis in general surgery] *Minerva Chir* 1990;45:1101-6 [2177861]

**Nurmohamed, 1995:**

**McLeod (Canadian), 1995:**

**Gonzalez, 1996:**

**ENOXACAN, 1997:**

**Kakkar and Murray, 1985:**

Kakkar VV, Murray WJ Efficacy and safety of low-molecular-weight heparin (CY216) in preventing postoperative venous thrombo-embolism: a co-operative study. *Br J Surg* 1985;72:786-91 [3899240]

**EFS, 1988:**

Comparison of a low molecular weight heparin and unfractionated heparin for the prevention of deep vein thrombosis in patients undergoing abdominal surgery. The European Fraxiparin Study (EFS) Group. *Br J Surg* 1988;75:1058-63 [2905187]

**Dahan, 1989:**

**Barbui, 1990:**

**Eurin, 1994:**

**Catania, 1988:**

Catania G, Salanitri G Prevention of postoperative deep vein thrombosis by two different heparin types. *Int J Clin Pharmacol Ther Toxicol* 1988;26:304-9 [2842266]

**Salcuni, 1988:**

**Verardi, 1989:**

Verardi S, Cortese F, Baroni B, Boffo V, Casciani CU [Role of low molecular weight heparin in the prevention of postoperative deep venous thrombosis. Our experience in 88 cases] *G Chir* 1989;10:674-8 [2562010]

**Garcea, 1992:**

**Kakkar, 1993:**

**Torngren, 1984:**

Trngren S, Kettunen K, Lahtinen J, Koppenhagen K, Brcke P, Hartl P, Hutter O, Haller U, Lahnborg G, Forsskl B A randomized study of a semisynthetic heparin analogue and heparin in prophylaxis of deep vein thrombosis. *Br J Surg* 1984;71:817-20 [6437467]

**Leizorovicz, 1991:**



## 2 platelet aggregation inhibitors

Trial	Treatments	Patients	Trials design and methods
<b>aspirin vs control</b>			
Clagett , 1975 n=56/49	A1300 versus control	-	open
Zekert VI , 1982 n=50/50	A1500 versus control	-	open
<b>dipyridamol + aspirin vs control</b>			
Parodi I , 1973 n=40/22	Dip,A1000+Dip versus control	-	open
Parodi II , 1973 n=91/35	A1500,Dip,A+Dip versus control	-	open
Australian I , 1975 n=75/75	A1000+Dip versus control	-	open
Australian II , 1976 n=85/75	A1000+Dip versus control	-	open
Toulouse I , 1979 n=38/66	A990+Dip versus control	-	open
Zekert-III , 1977 n=135/46	A1500,A1300+Dip,A1000+Dip versus control	-	open
Harjola DVT , 1982 n=300/100	A1500,Dip,A+Dip versus control	-	open
Weiss , 1977 n=30/36	A990+Dip versus control	-	open
<b>sp vs control</b>			
Veth , 1985 n=120/118	Sp+Hep v Hep versus control	-	open
<b>aspirin vs placebo</b>			
MRC , 1972 n=153/150	A600 versus placebo	general surgery	double-blind

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
Loew DVT , 1974 n=702/679	A600 versus Placebo	-	double-blind
Erfurt-A , 1979 n=357/357	A1500 versus Placebo	-	double-blind
Zekert V , 1980 n=50/49	A1500+Hep???	-	double-blind
Vinazzer I , 1980 n=402/404	A1500+Hep v Hep versus Placebo	-	double-blind
Vinazzer II , 1977 n=62/62	A1000+Hepv Hep versus Placebo	-	double-blind
PEP hip-fracture , 2000 n=6679/6677 follow-up: 35 days	aspirin 160mg/d started preoperatively and continued for 35 days versus placebo	patients undergoing surgery for hip fracture	Parallel groups Double blind Australia, New Zealand, South Africa,
PEP elective arthroplasty , 2000 n=2047/2041 follow-up: 35 days	aspirin 160mg/d started preoperatively and continued for 35 daysA versus placebo	Patients undergoing elective hip or knee arthroplasty	Parallel groups Double blind New Zealand
<b>dipyridamol + aspirin vs placebo</b>			
Encke IA , 1976 n=21/9	A990,A+Dip versus Placebo	-	double-blind
Encke IB , 1976 n=62/34	A1500,A990+Dip versus Placebo	-	double-blind
<b>hydroxychloroquine vs placebo</b>			
Carter IA , 1971 n=284/281	Hydroxy versus placebo	-	double-blind
Carter IB , 1971 n=26/26	Hydroxy versus placebo	-	double-blind
Carter II , 1974 n=107/97	Hydroxy versus Placebo	-	double-blind
New York , 1977 n=46/44	Hydroxy versus placebo	-	double-blind

continued...

Trial	Treatments	Patients	Trials design and methods
Vermont , 1975 n=50/58	Hydroxy versus placebo	-	double-blind
<b>sp vs placebo</b>			
Athens , 1981 n=48/48	Sp versus placebo	-	double-blind
<b>Suloctidil vs placebo</b>			
Turpie , 1985 n=68/68	Suloctidil versus Placebo	-	double-blind
<b>ticlopidine vs placebo</b>			
Lasierra , 1982 n=40/40	Ticlopidine versus placebo	-	double-blind
Walker , 1974 <i>unpublished</i> n=31/33	ticlopidine versus placebo	-	double-blind

## References

### Clagett, 1975:

Clagett GP, Schneider P, Rosoff CB, Salzman EW The influence of aspirin on postoperative platelet kinetics and venous thrombosis. *Surgery* 1975;77:61-74 [[1109518](#)]

### Zekert VI, 1982:

Zekert F, Schemper M, Neumann K Acetylsalicylic acid in combination with dihydroergotamine for preventing thromboembolism. *Haemostasis* 1982;11:149-53 [[7095604](#)]

### Parodi I, 1973:

Parodi JC, Grandi A, Font E, Rotondaro D, Iorio J, Manrique J. El dipiridamol y el acido acetilsalicilico en la profilaxis de las trombosis venosas postoperatorias de los miembros inferiores *Dia Med* 1973;45:92-3.

### Parodi II, 1973:

Parodi JC, Grandi A, Font E, Rotondaro D, Iorio J, Manrique J. El dipiridamol y el acido acetilsalicilico en la profilaxis de las trombosis venosas postoperatorias de los miembros inferiores *Dia Med* 1973;45:92-3.

### Australian I, 1975:

O'Sullivan EF, Renney JT. Antiplatelet drugs in the prevention of postoperative deep vein thrombosis In: Proceedings of III congress of Interiational Societyfor Thrombosis andHaemnostasis (Washington). 1972:438.

### Australian II, 1976:

Renney JT, O'Sullivan EF, Burke PF Prevention of postoperative deep vein thrombosis with dipyridamole and aspirin. *Br Med J* 1976;1:992-4 [[773495](#)]

### Toulouse I, 1979:

Plante J, Boneu B, Vaysse C, Barret A, Gouzi M, Bierme R Dipyridamole-aspirin versus low doses of heparin in the prophylaxis of deep venous thrombosis in abdominal surgery. *Thromb Res* 1979;14:399-403 [[442014](#)]

### Zekert-III, 1977:

Zekert F. Prophylaxe von phlebothrombosen und lungenembolien mit aggregationshemmemn In: Zekert F, ed. *Thrombosen, Embolien und Aggregatonshemsnerin derChirurgie*. Stuttgart: Schattauer, 1975:75-88.

**Harjola DVT, 1982:**

Harjola P, Meurala H, Frick AMH. Prevention of deep venous thrombosis and thrombo-embolism by dipyridamole and acetylsalicylic acid after revascularization of arterial surgery. *J Cardiovasc Surg* 1980;21:451-4.

**Weiss, 1977:**

Weiss V, Jekiel M, Ritschard J, Bouvier CA. Prevention of the thrombo-embolic post-operative disease by anti-aggregants in gynecological surgery. *Medicine et Hygiene (Geneve)* 1977;35:943-4.

**Veth, 1985:**

Veth G, Meuwissen OJ, van Houwelingen HC, Sixma JJ. Prevention of postoperative deep vein thrombosis by a combination of subcutaneous heparin with subcutaneous dihydroergotamine or oral sulphinpyrazone. *Thromb Haemost* 1985;54:570-3 [[4089792](#)]

**MRC, 1972:**

Effect of aspirin on postoperative venous thrombosis. Report of the Steering Committee of a trial sponsored by the Medical Research Council. *Lancet* 1972;2:441-5 [[4115340](#)]

**Loew DVT, 1974:**

Loew D, Wellmer HK, Baer U, Merguet H, Rumpf P, Petersen H, et al. Postoperative thromboembolie-prophylaxe mit acetylsalicylsäure. *Dtsch Med Wschr* 1974;99:565-72.

**Erfurt-A, 1979:**

Schreiber U, Hartung B. Postoperative thromboembolieprophylaxe bei Patienten mit allgemeinen chirurgischen Operationen. *Chirurg* 1979;104: 1214-20.

**Zekert V, 1980:**

Zekert F, Hofbauer F, Mhlbacher F [Prophylaxis of thromboembolism in abdominal surgery. Comparison of low dose heparin, acetylsalicylic acid and their combination (author's transl)] *MMW Munch Med Wochenschr* 1980;122:1495-8 [[6780841](#)]

**Vinazzar I, 1980:**

Vinazzar H, Loew D, Simma W, Brcke P. Prophylaxis of postoperative thromboembolism by low dose heparin and by acetylsalicylic acid given simultaneously. A double blind study. *Thromb Res* 1980;17:177-84 [[7376128](#)]

**Vinazzar II, 1977:**

Loew D, Brcke P, Simma W, Vinazzar H, Dienstl E, Boehme K. Acetylsalicylic acid, low dose heparin, and a combination of both substances in the prevention of postoperative thromboembolism. A double blind study. *Thromb Res* 1977;11:81-6 [[329468](#)]

**PEP hip-fracture, 2000:**

Prevention of pulmonary embolism and deep vein thrombosis with low dose aspirin: Pulmonary Embolism Prevention (PEP) trial. *Lancet* 2000 Apr 15;355:1295-302 [[10776741](#)]

**PEP elective arthroplasty, 2000:**

Prevention of pulmonary embolism and deep vein thrombosis with low dose aspirin: Pulmonary Embolism Prevention (PEP) trial. *Lancet* 2000 Apr 15;355:1295-302 [[10776741](#)]

**Encke IA, 1976:**

Encke A, Stock C, Dumke HO [Double-blind study for the prevention of postoperative thrombosis] *Chirurg* 1976;47:670-3 [[1001131](#)]

Schreiber U, Hartung B [Prevention of postoperative thromboembolism with micristin in general surgical patients (author's transl)] *Zentralbl Chir* 1979;104:1214-20 [[543338](#)]

**Encke IB, 1976:**

Encke A, Stock C, Dumke HO [Double-blind study for the prevention of postoperative thrombosis] *Chirurg* 1976;47:670-3 [[1001131](#)]

**Carter IA, 1971:**

Carter AE, Eban R, Perrett RD. Prevention of postoperative deep venous thrombosis and pulmonary embolism. *Br Med J* 1971;1:312-4 [[5100262](#)]

**Carter IB, 1971:**

Carter AE, Eban R, Perrett RD. Prevention of postoperative deep venous thrombosis and pulmonary embolism. *Br Med J* 1971;1:312-4 [[5100262](#)]

**Carter II, 1974:**

Carter AE, Eban R. Prevention of postoperative deep venous thrombosis in legs by orally administered hydroxychloroquine sulphate. *Br Med J* 1974;3:94-5 [[4853767](#)]

**New York, 1977:**

Wu TK, Tsapogas MJ, Jordan FR. Prophylaxis of deep venous thrombosis by hydroxychloroquine sulfate and heparin. *Surg Gynecol Obstet* 1977;145:714-8 [[333643](#)]

**Vermont, 1975:**

Pilcher DB Hydroxychloroquine sulfate in prevention of thromboembolic phenomena in surgical patients. *Am Surg* 1975;41:761-6 [1203006]

**Athens, 1981:**

Arapakis G, Trovas A, Orphanoudalus Li, Vassilikus P. sulphinyprazole and prevention of postoperative deep venous thrombQis *Thromb Haemost* 1981;46:401.

**Turpie, 1985:**

Turpie AG, Gent M, Doyle DJ, Saerens E, de Boer AC, Talbot C, McNamee J, Hirsh J An evaluation of suloctidil in the prevention of deep vein thrombosis in neurosurgical patients. *Thromb Res* 1985;39:173-81 [2992116]

**Lasierra, 1982:**

Lasierra J, Arevalo A, Vilades E, Hebrero J, Espinosa H, Yanguela J, et al. Effect of ticlopidin on the risk of thromboembolic disease in the pistoperation. *Haemostasis* 1982;12:104.

**Walker, 1974:**

Walker MG. Assessment of effect of ticlopidine on intcidence of deep vein thrombosiu in patients undergoing major surgery Guildford: Sanofi Winthrop, 1983. (Sanofi intemal report 001.6.245.)

### 3 unfractionated heparin

Trial	Treatments	Patients	Trials design and methods
<b>UFH vs no treatment</b>			
<b>Abernethy , 1974</b> n=63/62	UFH twice daily for 7 days versus no treatment	all other general surgery	
<b>Abraham-Inpijn , 1979</b> n=20/20	UFH twice daily for 7 days versus no treatment	all other general surgery	
<b>Bergqvist , 1980</b> n=53/58	UFH twice daily for 5 days versus no treatment	all other general surgery	
<b>Caloghera , 1984</b> n=40/40	UFH 3 times daily for 7 days versus no treatment	all other general surgery	
<b>Clarke-Pearson , 1983</b> n=95/105	UFH twice daily for 7 days versus no treatment	all other general surgery	
<b>Gallus , 1973</b> n=100/109	UFH 3 times daily for A versus no treatment	all other general surgery	
<b>Gallus , 1976</b> n=408/412	UFH 3 times daily for 7 days versus no treatment	all other general surgery	
<b>Gordon-Smith , 1972</b> n=NA	UFH twice daily for 5 days versus no treatment	all other general surgery	

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
Groote Schuur , 1979 n=323/323	UFH 3 times daily for 6 days versus no treatment	all other general surgery	
Gruber n=119/113	UFH 3 times daily for 7 days versus no treatment	All other general surgery	
Kakkar (IMT) n=2111/2137	UFH 3 times daily for 7 days versus no treatment	All other general surgery	
Kettunen , 1974 n=83/117	UFH 3 times daily for 7 days versus no treatment	all other general surgery	
Kopenhagen , 1982 n=162/50	UFH twice daily versus no treatment	all other general surgery	
Kraytman , 1976 n=21/28	UFH 3 times daily for 6 days versus no treatment	all other general surgery	
Kraytman , 1977 n=23/27	UFH 3 times daily for 6 days versus no treatment	all other general surgery	
Marchelli , 1983 n=30/30	UFH 3 times daily for ? versus no treatment	all other general surgery	
Multiunit , 1974 n=128/128	UFH twice daily for 7 days versus no treatment	all other general surgery	
Nicolaides , 1972 n=128/122	UFH twice daily for 7 days versus no treatment	all other general surgery	
Plante , 1979 n=42/66	UFH twice daily for 8 days versus no treatment	all other general surgery	
Sagar , 1974 n=264/236	UFH twice daily for 5 days versus no treatment	all other general surgery	
Spebar , 1981 n=24/19	UFH twice daily for 5-7 days versus no treatment	all other general surgery	
Ziemski , 1979 n=30/20	UFH 3 times daily for 2 days versus no treatment	all other general surgery	
<b>UFH vs placebo</b>			

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
Belch , 1980 n=24/25	UFH twice daily for 7 days versus placebo	all other general surgery	
Covey , 1975 n=53/52	UFH twice daily for 8 days versus placebo	all other general surgery	
Jourdan , 1984 n=21/21	UFH twice daily for 5 days versus placebo	all other general surgery	
Kakkar , 1972 n=39/39	UFH twice daily for 7 days versus placebo	All other general surgery	
Kiil , 1978 n=650/663	UFH twice daily for 7 days versus placebo	All other general surgery	
Kraytman , 1977 n=25/22	UFH 3 times daily for 6 days versus placebo	all other general surgery	
Kruse-Blinkenberg , 1980 n=29/33	UFH 3 times daily for 8 days versus placebo	all other general surgery	
Lahnborg , 1975 n=58/54	UFH twice daily for 5 days versus placebo	all other general surgery	
Lahnborg , 1976 n=24/24	UFH twice daily for 5 days versus placebo	all other general surgery	
Lawrence , 1977 n=133/129	UFH twice daily for 5 days versus placebo	all other general surgery	
Marchetti , 1982 n=16/13	UFH 3 times daily versus placebo	all other general surgery	
Muiticentre , 1984 n=222/108	UFH twice daily for 5-7 days versus placebo	all other general surgery	
Ribaudo , 1975 n=75/75	UFH twice daily for A days versus placebo	all other general surgery	
Roberts , 1975 n=39/45	UFH twice daily for 7 days versus placebo	all other general surgery	
Strand , 1975 n=55/55	UFH twice daily for 7 days versus placebo	all other general surgery	

continued...

<b>Trial</b>	<b>Treatments</b>	<b>Patients</b>	<b>Trials design and methods</b>
Taberner , 1978 n=50/50	UFH twice daily for 7 days versus placebo	all other general surgery	
Torngren n=47/62	UFH twice daily for 6-8 days versus placebo	all other general surgery	
Torngren , 1978 n=10/10	UFH 3 times daily for 6-8 days versus placebo	all other general surgery	
Torngren , 1978 n=66/62	UFH twice daily for 6-8 days versus placebo	all other general surgery	
Wu , 1977 n=44/44	UFH twice daily for 7 days versus placebo	all other general surgery	
<b>UFH vs aspirin</b>			
Loew , 1977 n=60/67	UFH twice daily for 7 days versus aspirin	all other general surgery	
Vinazzer , 1980 n=402/404	UFH twice daily for A days versus aspirin	all other general surgery	
<b>UFH vs DHE</b>			
Muiticentre , 1984 n=226/110	UFH twice daily for 5-7 days versus DHE	all other general surgery	
Muiticentre 53,S4 , 1984 n=214/110	UFH twice daily for 5-7 days versus DHE	all other general surgery	
<b>UFH vs oral anticoagulant</b>			
van Geloven , 1977 n=74/80	UFH twice daily for 4 days versus Oral anticoagulant	all other general surgery	

## References

### Abernethy, 1974:

Abernethy EA, Hartsuck JM Postoperative pulmonary embolism. A prospective study utilizing low dose heparin. Am J Surg 1974;128:739-42 [4432994]

### Abraham-Inpijn, 1979:

Abraham-Inpijn L Critical evaluation of low-dose heparin in laryngectomy. Arch Chir Neerl 1979;31:9-15 [443830]

### Bergqvist, 1980:

Bergqvist D, Hallbk T Prophylaxis of postoperative venous thrombosis in a controlled trial comparing dextran 70 and low-dose heparin. World J Surg 1980;4:239-43 [6157256]

### Caloghera, 1984:

Caloghera C, Bordos D, Miculit F, Aboubakr W, Teodorescu C, Vancea D [Prevention of postoperative thromboembolism with small doses of heparin] Rev Chir Oncol Radiol O R L Oftalmol Stomatol Chir 1984;33:161-7 [6238351]



**Clarke-Pearson, 1983:**

Clarke-Pearson DL, Coleman RE, Synan IS, Hinshaw W, Creasman WT Venous thromboembolism prophylaxis in gynecologic oncology: a prospective, controlled trial of low-dose heparin. *Am J Obstet Gynecol* 1983;145:606-13 [6338722]

**Gallus, 1973:**

Gallus AS, Hirsh J, Tuttle RJ, Trebilcock R, O'Brien SE, Carroll JJ, Minden JH, Hudecki SM Small subcutaneous doses of heparin in prevention of venous thrombosis. *N Engl J Med* 1973;288:545-51 [4568221]

**Gallus, 1976:**

Gallus AS, Hirsh J, O'Brien SE, McBride JA, Tuttle RJ, Gent M Prevention of venous thrombosis with small, subcutaneous doses of heparin. *JAMA* 1976;235:1980-2 [946507]

**Gordon-Smith, 1972:**

Gordon-Smith IC, Le Quesne LP, Grundy DJ, Newcombe JF, Bramble FJ Controlled trial of two regimens of subcutaneous heparin in prevention of postoperative deep-vein thrombosis. *Lancet* 1972;1:1133-5 [4113052]

**Groote Schuur, 1979:**

Failure of low-dose heparin to prevent significant thromboembolic complications in high-risk surgical patients: interim report of prospective trial. Groote Schuur Hospital Thromboembolus Study Group. *Br Med J* 1979;1:1447-50 [380742]

**Gruber, 0:**

Gruber UF, Duckert F, Fridrich R, Torhorst J, Rem J Prevention of postoperative thromboembolism by dextran 40, low doses of heparin, or xantinol nicotinate. *Lancet* 1977;1:207-10 [64746]

**Kakkar (IMT), 0:**

Prevention of fatal postoperative pulmonary embolism by low doses of heparin. An international multicentre trial. *Lancet* 1975;2:45-51 [49649]

Kakkar VV, Corrigan TP, Fossard DP, Sutherland I, Thirwell J Prevention of Fatal Postoperative pulmonary embolism by low doses of heparin. Reappraisal of results of international multicentre trial. *Lancet* 1977;1:567-9 [65660]

**Kettunen, 1974:**

Kettunen K, Poikolainen E, Karjalainen P, Oksala I, Alhava E, Rehnberg V, Huttunen H, Mattila M [Prevention of postoperative deep vein thrombosis with small doses of heparin] *Duodecim* 1974;90:834-8 [4426267]

**Kopenhagen, 1982:**

Kopenhagen K, Matthes M [Heparin-dihydroergot or heparin alone in thrombosis prophylaxis?] *Med Welt* 1982;33:216-23 [7070283]

**Kraytman, 1976:**

Kraytman M, Kutnowski M, Ansay J, Fastrez R [Prophylaxis of postoperative deep vein thromboses by means of weak doses of subcutaneous heparin (author's transl)] *Acta Chir Belg* 1976;75:519-29 [1015181]

**Kraytman, 1977:**

Kraytman M, Kutnowski M, Ansay J, Vandendris M, Fastrez R, Steinberger R [Prevention of postoperative venous thrombosis with small doses of subcutaneous heparin] *Acta Clin Belg* 1977;32:422-7 [358713]

**Marchelli, 1983:**

Marchetti V, Beati C, Pogliani EM, Vincere G [Low-dose calcium-heparin prophylaxis in thoracic surgery. Bleeding, changes in coagulation and fibrinolysis] *Minerva Med* 1983;74:1745-8 [6866306]

**Multiunit, 1974:**

Heparin versus dextran in the prevention of deep-vein thrombosis. A multi-unit controlled trial. *Lancet* 1974;2:118-20 [4135556]

**Nicolaides, 1972:**

Nicolaides AN, Dupont PA, Desai S, Lewis JD, Douglas JN, Dodsworth H, Fourides G, Luck RJ, Jamieson CW Small doses of subcutaneous sodium heparin in preventing deep venous thrombosis after major surgery. *Lancet* 1972;2:890-3 [4116600]

**Plante, 1979:**

Plante J, Boneu B, Vaysse C, Barret A, Gouzi M, Bierme R Dipyridamole-aspirin versus low doses of heparin in the prophylaxis of deep venous thrombosis in abdominal surgery. *Thromb Res* 1979;14:399-403 [[442014](#)]

**Sagar, 1974:**

Sagar S Heparin prophylaxis against fatal postoperative pulmonary embolism. *Br Med J* 1974;2:153-5 [[4825114](#)]

Plante J, Boneu B, Vaysse C, Barret A, Gouzi M, Bierme R Dipyridamole-aspirin versus low doses of heparin in the prophylaxis of deep venous thrombosis in abdominal surgery. *Thromb Res* 1979;14:399-403 [[442014](#)]

**Spebar, 1981:**

Spebar MJ, Collins GJ Jr, Rich NM, Kang IY, Clagett GP, Salander JM Perioperative heparin prophylaxis of deep venous thrombosis in patients with peripheral vascular disease. *Am J Surg* 1981;142:649-50 [[7316026](#)]

**Ziemski, 1979:**

Ziemski JM, Kostrzevska E, Marchlewski S, Wiczorek K, Rudowski W, Michalski R, Lopaciuk S, Kolakowski L, Sawicki F [Efficacy of small doses of heparin given during 2 to 6 days in the prevention of postoperative deep vein thrombosis] *Pol Tyg Lek* 1979;34:161-4 [[432128](#)]

**Belch, 1980:**

Belch JJ, Lowe GD, Pollock JG, Forbes CD, Prentice CR Low dose heparin in the prevention of deep-vein thrombosis after aortic bifurcation graft surgery. *Thromb Haemost* 1980;42:1429-33 [[7368149](#)]

**Covey, 1975:**

Covey TH, Sherman L, Baue AE Low-dose heparin in postoperative patients: a prospective, coded study. *Arch Surg* 1975;110:1021-6 [[1100014](#)]

**Jourdan, 1984:**

Jourdan M, McColl I The use of prophylactic subcutaneous heparin in patients undergoing hernia repairs. *Br J Clin Pract* 1984;38:298-300 [[6477809](#)]

**Kakkar, 1972:**

Kakkar VV, Corrigan T, Spindler J, Fossard DP, Flute PT, Crellin RQ, Wessler S, Yin ET Efficacy of low doses of heparin in prevention of deep-vein thrombosis after major surgery. A double-blind, randomised trial. *Lancet* 1972;2:101-6 [[4113891](#)]

**Kiil, 1978:**

Kiil J, Kiil J, Axelsen F, Andersen D Prophylaxis against postoperative pulmonary embolism and deep-vein thrombosis by low-dose heparin. *Lancet* 1978;1:1115-6 [[77413](#)]

**Kraytman, 1977:**

Kraytman M, Kutnowski M, Ansay J, Vandendris M, Fastrez R, Steinberger R [Prevention of postoperative venous thrombosis with small doses of subcutaneous heparin] *Acta Clin Belg* 1977;32:422-7 [[358713](#)]

**Kruse-Blinkenberg, 1980:**

Kruse-Blinkenberg HO, Gormsen J The influence of low dose heparin in elective surgery on blood coagulation, fibrinolysis, platelet function, antithrombin III and antiplasmin. *Acta Chir Scand* 1980;146:375-82 [[7008475](#)]

**Lahnborg, 1975:**

Leter: The consultants' contract. *Lancet* 1975;1:329-30 [[46465](#)]

Lahnborg G, Bergstrm K Clinical and haemostatic parameters related to thromboembolism and low-dose heparin prophylaxis in major surgery. *Acta Chir Scand* 1975;141:590-5 [[55029](#)]

**Lahnborg, 1976:**

Lahnborg G, Lagergren H, Hedenstierna G Effect of low-dose heparin prophylaxis on arterial oxygen tension after high laparotomy. *Lancet* 1976;1:54-6 [[54579](#)]

**Lawrence, 1977:**

Lawrence JC, Xabregas A, Gray L, Ham JM Seasonal variation in the incidence of deep vein thrombosis. *Br J Surg* 1977;64:777-80 [[338089](#)]

**Marchetti, 1982:**

Kopenhagen K, Matthes M [Heparin-dihydrergot or heparin alone in thrombosis prophylaxis?] *Med Welt* 1982;33:216-23 [[7070283](#)]

**Muiticentre, 1984:**

Dihydroergotamine-heparin prophylaxis of postoperative deep vein thrombosis. A multicenter trial. The Multicenter Trial Committee. JAMA 1984;251:2960-6 [6371278]

DiSerio FJ, Sasahara AA United States trial of dihydroergotamine and heparin prophylaxis of deep vein thrombosis. Am J Surg 1985;150:25-32 [3901790]

**Ribaudo, 1975:**

Ribaudo JM, Hoellrich RG, McKinnon WM, Shuler SE Evaluation of mini-dose heparin administration as a prophylaxis against postoperative pulmonary embolism: a prospective double-blind study. Am Surg 1975;41:289-95 [1093461]

Ribaudo JM, Hoellrich RG, McKinnon WM, Shuler SE Evaluation of mini-dose heparin administration as a prophylaxis against postoperative pulmonary embolization: a prospective double-blind study. Rev Surg 1975;32:297-9 [1198038]

**Roberts, 1975:**

Roberts VC, Cotton LT Failure of low-dose heparin to improve efficacy of peroperative intermittent calf compression in preventing postoperative deep vein thrombosis. Br Med J 1975;3:458-60 [1098726]

**Strand, 1975:**

Strand L, Bank-Mikkelsen OK, Lindewald H Small heparin doses as prophylaxis against deep-vein thrombosis in major surgery. Acta Chir Scand 1975;141:624-7 [1108565]

**Taberner, 1978:**

Taberner DA, Poller L, Burslem RW, Jones JB Oral anticoagulants controlled by the British comparative thromboplastin versus low-dose heparin in prophylaxis of deep vein thrombosis. Br Med J 1978;1:272-4 [340005]

**Torngren, 0:**

**Torngren, 1978:**

Torngren S, Forsberg K Concentrated or diluted heparin prophylaxis of postoperative deep venous thrombosis. Acta Chir Scand 1978;144:283-8 [367024]

**Torngren, 1978:**

Torngren S, Forsberg K Concentrated or diluted heparin prophylaxis of postoperative deep venous thrombosis. Acta Chir Scand 1978;144:283-8 [367024]

**Wu, 1977:**

Wu TK, Tsapogas MJ, Jordan FR Prophylaxis of deep venous thrombosis by hydroxychloroquine sulfate and heparin. Surg Gynecol Obstet 1977;145:714-8 [333643]

**Loew, 1977:**

Loew D, Brcke P, Simma W, Vinazzer H, Dienstl E, Boehme K Acetylsalicylic acid, low dose heparin, and a combination of both substances in the prevention of postoperative thromboembolism. A double blind study. Thromb Res 1977;11:81-6 [329468]

**Vinazzer, 1980:**

Vinazzer H, Loew D, Simma W, Brcke P Prophylaxis of postoperative thromboembolism by low dose heparin and by acetylsalicylic acid given simultaneously. A double blind study. Thromb Res 1980;17:177-84 [7376128]

**Muiticentre, 1984:**

Dihydroergotamine-heparin prophylaxis of postoperative deep vein thrombosis. A multicenter trial. The Multicenter Trial Committee. JAMA 1984;251:2960-6 [6371278]

DiSerio FJ, Sasahara AA United States trial of dihydroergotamine and heparin prophylaxis of deep vein thrombosis. Am J Surg 1985;150:25-32 [3901790]

**Muiticentre 53,S4, 1984:**

Dihydroergotamine-heparin prophylaxis of postoperative deep vein thrombosis. A multicenter trial. The Multicenter Trial Committee. JAMA 1984;251:2960-6 [6371278]

DiSerio FJ, Sasahara AA United States trial of dihydroergotamine and heparin prophylaxis of deep vein thrombosis. Am J Surg 1985;150:25-32 [3901790]

**van Geloven, 1977:**

van Geloven F, Wittebol P, Sixma JJ Comparison of postoperative coumarin, dextran 40 and subcutaneous heparin in the prevention of postoperative deep vein thrombosis. Acta Med Scand 1977;202:367-72 [335793]

## 4 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.