

# Clinical trials of 18 months dual antiplatelet

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 stent

Trial	Treatments	Patients	Trials design and methods
<b>18 months dual antiplatelet vs 12 months dual antiplatelet</b>			
<b>ARTIC (extended dual antiplatelet)</b> <i>ongoing</i> [NCT00827411] n=NA follow-up:	Pursuit of a dual oral antiplatelet therapy (aspirin and clopidogrel) beyond one year versus Interruption of clopidogrel therapy after one year	-	

More details and results :

- antithrombotics for stent in all type of patients at <http://www.trialresultscenter.org/go-Q151>
- dual antiplatelet therapy for stent in all type of patients at <http://www.trialresultscenter.org/go-Q578>

## References

**ARTIC (extended dual antiplatelet), 0:**

ongoing trial NCT00827411

## 2 percutaneous coronary intervention

Trial	Treatments	Patients	Trials design and methods
<b>18 months dual antiplatelet vs 12 months dual antiplatelet</b>			
<b>ARTIC (extended dual antiplatelet)</b> <i>ongoing</i> [NCT00827411] n=NA follow-up:	Pursuit of a dual oral antiplatelet therapy (aspirin and clopidogrel) beyond one year versus Interruption of clopidogrel therapy after one year	-	

More details and results :

- antithrombotics for percutaneous coronary intervention in PCI with stent placement at <http://www.trialresultscenter.org/go-Q152>

- antiplatelets drug for percutaneous coronary intervention in all type of patients at <http://www.trialresultscenter.org/go-Q389>

## References

**ARTIC (extended dual antiplatelet), 0:**  
ongoing trial NCT00827411