

Clinical trials of any anticoagulant

TrialResults-center www.trialresultscenter.org

1 acute myocardial infarction

Trial	Treatments	Patients	Trials design and methods
any anticoagulant vs placebo			
Sixty Plus reinfarction Study , 1980 n=NA follow-up: 2 years	anticoagulant versus placebo	over 60 years of age	Parallel groups double blind
any anticoagulant vs aspirin			
EPSIM , 1982 n=652/651 follow-up: 29 months (range 6-59)	anticoagulant versus aspirin 500mg three times daily	patients surviving myocardial infarction	Parallel groups open

└ More details and results :

- antithrombotics for acute myocardial infarction in all type of patients at <http://www.trialresultscenter.org/go-Q36>
- anticoagulant for acute myocardial infarction in all type of patients at <http://www.trialresultscenter.org/go-Q172>

References

Sixty Plus reinfarction Study, 1980:

A double-blind trial to assess long-term oral anticoagulant therapy in elderly patients after myocardial infarction. Report of the Sixty Plus Reinfarction Study Research Group. Lancet 1980;2:989-94 [6107674]

EPSIM, 1982:

A controlled comparison of aspirin and oral anticoagulants in prevention of death after myocardial infarction. N Engl J Med 1982;307:701-8 [7050710]

2 post myocardial infarction

Trial	Treatments	Patients	Trials design and methods
any anticoagulant vs placebo			

continued...

Trial	Treatments	Patients	Trials design and methods
Sixty Plus reinfarction Study , 1980 n=NA follow-up: 2 years	anticoagulant versus placebo	over 60 years of age	Parallel groups double blind
any anticoagulant vs aspirin			
EPSIM , 1982 n=652/651 follow-up: 29 months (range 6-59)	anticoagulant versus aspirin 500mg three times daily	patients surviving myocardial infarction	Parallel groups open

More details and results :

- anticoagulant for post myocardial infarction in all type of patients at <http://www.trialresultscenter.org/go-Q173>

References

Sixty Plus reinfarction Study, 1980:

A double-blind trial to assess long-term oral anticoagulant therapy in elderly patients after myocardial infarction. Report of the Sixty Plus Reinfarction Study Research Group. Lancet 1980;2:989-94 [6107674]

EPSIM, 1982:

A controlled comparison of aspirin and oral anticoagulants in prevention of death after myocardial infarction. N Engl J Med 1982;307:701-8 [7050710]