

# Clinical trials of dapagliflozin + merformin

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 diabetes type 2

Trial	Treatments	Patients	Trials design and methods
<b>dapagliflozin + merformin vs dapagliflozin</b>			
<b>Kohan</b> [NCT00643851] n=NA follow-up:	Dapagliflozin in Combination With Metformin versus Dapagliflozin Monotherapy	Subjects With Type 2 Diabetes Who Have Inadequate Glycemic Control	
<b>dapagliflozin + merformin vs metformin or dapa</b>			
<b>MB102034 , 2016</b> [NCT00859898] n=NA follow-up:	Dapagliflozin 10 mg in Combination With Metformin versus Dapagliflozin 10 mg Monotherapy or Metformin Monotherapy	Subjects With Type 2 Diabetes Who Have Inadequate Glycemic Control	

More details and results :

- SGLT2 inhibitors for diabetes type 2 in all type of patients at <http://www.trialresultscenter.org/go-Q479>

## References

### **Kohan, 0:**

Kohan DE, Fioretto P, Johnsson K, Parikh S, Ptaszynska A, Ying L The effect of dapagliflozin on renal function in patients with type 2 diabetes. J Nephrol 2016;:  
[26894924]

### **MB102034, 2016:**

Kohan DE, Fioretto P, Johnsson K, Parikh S, Ptaszynska A, Ying L The effect of dapagliflozin on renal function in patients with type 2 diabetes. J Nephrol 2016;:  
[26894924]

Entry terms: dapagliflozin, dapagliflozin, forxiga, BMS 512148, BMS512148, BMS-512148,