

# Clinical trials of fluxum

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 thrombosis prevention

Trial	Treatments	Patients	Trials design and methods
<b>fluxum vs placebo</b>			
<a href="#">Valle , 1988</a> n=50/50	Parnaparin 3200 anti-Xa units versus Placebo	general surgery	Blind
<b>fluxum vs Unfractionated heparin</b>			
<a href="#">Chiapuzzo , 1988</a> n=70/70	Fluxum versus Unfractionated heparin	Elective hip	
<a href="#">Pini , 1989</a> n=25/24	Fluxum versus Unfractionated heparin	Hip	

More details and results :

- antithrombotics for thrombosis prevention in orthopedic surgery at <http://www.trialresultscenter.org/go-Q37>
- antithrombotics for thrombosis prevention in elective hip replacement at <http://www.trialresultscenter.org/go-Q39>
- antithrombotics for thrombosis prevention in general surgery at <http://www.trialresultscenter.org/go-Q92>
- heparin (UFH or LMWH) for thrombosis prevention in orthopedic surgery at <http://www.trialresultscenter.org/go-Q189>
- LMWH for thrombosis prevention in orthopedic surgery at <http://www.trialresultscenter.org/go-Q190>
- heparin (UFH or LMWH) for thrombosis prevention in general surgery at <http://www.trialresultscenter.org/go-Q195>
- LMWH for thrombosis prevention in general surgery at <http://www.trialresultscenter.org/go-Q196>

## References

### Valle , 1988:

Valle I, Sola G, Origone A Controlled clinical study of the efficacy of a new low molecular weight heparin administered subcutaneously to prevent post-operative deep venous thrombosis. Curr Med Res Opin 1988;11:80-6 [2851413]

**Chiapuzzo , 1988:**

Chiapuzzo E, Orengo GB, Ottria G, Chiapuzzo A, Palazzini E, Fusillo M The use of low molecular weight heparins for postsurgical deep vein thrombosis prevention in orthopaedic patients. *J Int Med Res* 1988 Sep-Oct;16:359-66 [[3197913](#)]

**Pini , 1989:**

Pini M, Tagliaferri A, Manotti C, Lasagni F, Rinaldi E, Dettori AG Low molecular weight heparin (Alfa LHWH) compared with unfractionated heparin in prevention of deep-vein thrombosis after hip fractures. *Int Angiol* 1989 Jul-Sep;8:134-9 [[2556484](#)]