

# Clinical trials of t-PA half dose

TrialResults-center [www.trialresultscenter.org](http://www.trialresultscenter.org)

## 1 acute myocardial infarction

Trial	Treatments	Patients	Trials design and methods
<b>t-PA half dose vs t-PA</b>			
<b>KAMIT , 1991</b> n=109/107 follow-up: hospital stay	half-dose (50 mg) t-PA with streptokinase (1.5 MU) during 1 hour versus t-PA (100 mg) during 3 hours	patients within 6 hours of myocardial infarction	Parallel groups open USA

More details and results :

- myocardial revascularization for acute myocardial infarction in all type of patients at <http://www.trialresultscenter.org/go-Q129>
- fibrinolysis for acute myocardial infarction in all type of patients at <http://www.trialresultscenter.org/go-Q260>

## References

### **KAMIT, 1991:**

Grines CL, Nissen SE, Booth DC, Gurley JC, Chelliah N, Wolf R, Blankenship J, Branco MC, Bennett K, DeMaria AN A prospective, randomized trial comparing combination half-dose tissue-type plasminogen activator and streptokinase with full-dose tissue-type plasminogen activator. Kentucky Acute Myocardial Infarction Trial (KAMIT) Group. Circulation 1991;84:540-9 [[1907228](#)]

Entry terms: t-pa