

Clinical trials of relaxine for heart failure in acute heart failure

TrialResults-center www.trialresultscenter.org

1 relaxine

Trial	Treatments	Patients	Trials design and methods
serelaxin vs placebo			
Pre-RELAX-AHF , 2009 [NCT00520806] n=172/62 follow-up:	intravenous relaxin for 48 hours: 10g/kg daily, 30g/kg daily, 100g/kg daily, 250g/kg daily versus placebo	Patients hospitalized with acute heart failure	Parallel groups double blind

References

Pre-RELAX-AHF, 2009:

Teerlink JR, Metra M, Felker GM, Ponikowski P, Voors AA, Weatherley BD, Marmor A, Katz A, Grzybowski J, Unemori E, Teichman SL, Cotter G Relaxin for the treatment of patients with acute heart failure (Pre-RELAX-AHF): a multicentre, randomised, placebo-controlled, parallel-group, dose-finding phase IIb study. Lancet 2009;; [[19329178](#)]

2 About TrialResults-center.org

TrialResults-center is an innovative knowledge database that collects the results of RCTs and provides dynamic interactive systematic reviews and meta-analysis in the field of all major heart and vessels diseases.

The TrialResults-center database provides a unique view of the treatment efficacy based on all data provided directly from clinical trial results, offering a valuable alternative to personal bibliographic search, published meta-analysis, etc. Furthermore, it would allow comparing easily the various concurrent therapeutic for the same clinical condition.

Rigorous meta-analysis method is used to populate TrialResults-center: widespread search of published and non published trials, study selection using pre-specified criteria, data extraction using standard form.

TrialResults-center is continually updated on a weekly basis. We continually search all new results (whatever their publication channel) and these news results are immediately added to the database with a maximum of 1 week.

TrialResults-center is non-profit and self-funded.